



SHAKAMBHARI
GROUP

BRAVO SPONGE IRON PRIVATE LIMITED

CIN: U27106WB1997PTC032921 | GSTIN: 19AACCB5058J1ZH | PAN: AACCB5058J | State: West Bengal | State Code: 19

Ref.: BSIPL/ES/2022-23

Date: 18th Oct-2023

The Environmental Engineer

West Bengal Pollution Control Board

Asansol Regional Office,

Kalyanpur Satellite Township Project,

Dr. B.C. Roy Road, PO- Dakshin Dhadka, Asansol-713302,

Dist.-Paschim Bardhaman (WB)

Sub: Environment Statement (FY: 2022-2023) of M/s Bravo Sponge Iron Pvt. Limited, Vill-Mahuda, PO-Rukni, Dist-Purulia (WB)-723145

Dear Sir,

With reference to above subject we are submitting herewith the Environment Statement (Form-V) for financial year ending 31st March, 2023 of M/s Bravo Sponge Iron Pvt, Limited, Vill-Mahuda, PO-Rukni, Dist-Purulia (WB) for your kind consideration please.

Kindly acknowledge our submission

Thanking you,

Yours faithfully,

For **Bravo Sponge Iron Pvt. Limited**

(Authorized Signatory)

Encl: As above.



Copy to:

The IGF, GOI, MoEF&CC, Integrated Regional Office, Kolkata, IB-198, Salt Lake City, Sector-III, Kolkata- 700106

FORM – V
ENVIRONMENTAL STATEMENT
(See rule 14)

Environmental Statement for the financial year 2022-2023 ending with 31st March

PART-A

i. Name and address of the owner/occupier of the industry operation or process

Mr. Deepak Kumar Agarwal
M/s Bravo Sponge Iron Pvt. Ltd.
Village- Mahuda, P.O-Rukni, P.S-Para,
Dist: Purulia,
Pin- 723145.

ii. Industry category Primary – Large Secondary – Red

iii. Production category – Iron & Steel

iv. Year of establishment – 2003-04 (Our Group has acquired this establishment in Sept- 2015)

v. Date of the last environmental statement submitted- 30 September 2022

PART – B

Water and Raw Material Consumption:

i. Water consumption in m³/day

Process: - 865 m³/d
Cooling: - 413 m³/d
Domestic: - 25 m³/d

Name of Products	Process water consumption (m ³) per unit of products	
	During the previous financial year (2021-22)	During the current financial year (2022-23)
Sponge Iron	0.35 m ³ /T	0.36 m ³ /T
MS Billet	0.47 m ³ /T	0.46 m ³ /T
Pellet	0.29 m ³ /T	0.23 m ³ /T
Electricity	0.56 m ³ /MW	0.58 m ³ /MW

ii. Raw material consumption

Name of raw materials*	Name of Products	Consumption of raw material per unit of output (Kg/T)	
		During the previous financial year (2021-22)	During the current financial year (2022-23)
DRI DIVISION			
Iron Ore	Sponge Iron	610	352
Iron ore Pellet		976	1173
Coal		1057	1045
Dolomite		47	49



Name of raw materials*	Name of Products	Consumption of raw material per unit of output (Kg/T)	
		During the previous financial year (2021-22)	During the current financial year (2022-23)
SMS Division			
Pig Iron	MS Billet	80	60
Sponge Iron		908	978
Scrap		216	266
Ferro alloys		13	6
PELLET DIVISION			
Iron ore fines	Pellet	1166	1181
Bentonite		7	7
Lime stone		13	12
COAL		15	11
CPP DIVISION			
Coal fines	Electricity	30 Kg/MW	20 Kg/MW
Dolochar		692 Kg/MW	938 Kg/MW
PRODUCER GAS PLANT			
COAL	Gas production	-	0.438Kg/M ³

* Industry may use codes if disclosing details of raw material would violate contractual obligations, otherwise all industries have to name the raw materials used.

PART-C

Pollution discharged to environment/unit of output
(Parameter as specified in the consent issued)

(a) Water

Pollutants	Quantity of Pollutants discharged (Kg/day)	Concentration of pollutants discharged (mg/Nm ³)	Percentage of variation form prescribed standards with reasons
a) Water	0	0	No Industrial waste water discharge outside the factory premises.
B) Air			
PM- DRI (100TPD & 95 TPD)	54.109	26.8	Below Prescribed standards and Monitoring reports attached
PM- DRI (100TPD & 100 TPD)	31.487	17.54	
PM- SMS	7.615	37.06	
PM- PELLET Plant	153.24	28.54	
PM- CPP (AFBC)	53.029	22.36	Below Prescribed standards and Monitoring reports attached
SO ₂ -CPP	203.39	85.76	
NO _x -CPP	187.62	79.11	

Monitoring reports attached



PART - D

(As specified under Hazardous Wastes (Management & Handling Rules, 1989).

Hazardous Wastes	Total Quantity (MT)	
	During the current financial year (2021-22)	During the current financial year (2022-23)
Used oil from operation/ Maintenance	0.625	1.108
Cotton waste from cleaning	0.240	0.260
From pollution control facility's	Nil	40.88

PART - E

Solid Wastes	Total Quantity (MT)	
	During the previous financial year (2021-22)	During the current financial year (2022-23)
From Process	54542	57838
From Pollution Control Facilities	52499	61993
Quantity recycled or reutilized within the unit	48297	48681
Sold	38328	52111
Disposed	20416	19040

PART - F

Please specify the characteristics (in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

Solid waste Type	Quantity (TPA)	Disposal System
Dolochar	37258	Used in CPP power plant as a fuel.
Fly Ash	52111	Sold to Brick manufacturing
Bottom Ash/Bed material	14511	land filling & road making
BF flue dust from DRI	5126	Used in Pellet plant and CPP plant
IF Slag	4435	Used in road construction and land filling
MS Scrap & Mill Skull	1142	Reused in SMS
Metal from SMS Slag	493	Reused in SMS
Pellet ESP Dust	4663	Used in Pellet plant
BF flue dust (SMS)	93	Used for land filling

PART - G

Impact of the pollution control measures taken on conservation of natural resources and consequently on the cost of production.

List of Environmental Management Programme (EMPs) are given below-

Description	Expenditure for Pollution Control measures on Conservation of Natural Resources (Rs. in lakhs)
Total Cost towards Air Pollution Control Measures, Environmental Monitoring, EHS Management & training, Waste Management System, EHS, Green Belt Development (Plantation & Plant Maintenance), etc.	85.00



PART - H

Additional measures/investment proposal for environmental protection including abatement of pollution.

Already included in Part G.

We have taken the massive plantation program for green belt/green cover development in and around the factory premises.

PART - I

MISCELLANEOUS

Any other particulars in respect of environmental protection and abatement of pollution.

- (1) We are complying with the directions given by the WBPCB, and getting regular Air & Water consents.
- (2) Periodic Environmental Monitoring being done by NABL accredited laboratory to ascertain the efficiency of pollution control systems installed.

Enclosure List:

- 1) Copies of analysis report -Annexure-1.
- 2) Copy of Form-4 Annual Return of Hazardous Waste as Annexure-2.





ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018



TEST REPORT

FORMAT NO.: ENV/FM/38

Name of the Industry	: Bravo Sponge Iron Pvt. Ltd.	Type of Industry	: Steel & Power Unit
Address	: Vill. - Mohuda, P.O. - Rukni, P.S. - Para, Purulia - 723145	Sampling Date	: 24.02.2023
		Period of Analysis	: 25.02.2023 - 27.02.2023
		Date of Issue	: 28.02.2023
Sampling Plan & Procedure	: ENV/SOP/01	Deviation from the Sampling Method and Plan	: No
Sample Condition	: Sealed	Sample ID No.	: ENV/64/Feb./A/1
		Report No.	: ENV/64/Feb./TR(A)/1/22-23
		Type of Sample	: Stack Emission

A. GENERAL INFORMATION ABOUT STACK PROVIDED BY THE INDUSTRY

Stack Attached to	: Rotary Kiln (No. 1 & 2) attached to common stack
Shape of Stack	: Circular
Materials of Construction	: M.S.
Capacity	: No.1 - 100 TPD & No.2 - 95 TPD
Emission Due to	: Oxidation of Coal & Reduction of Fe-Ore
Fuel Used	: Coal
Working Fuel Consumption	: 5.12 MT/hr. (each Kiln)
Pollution Control Device	: E.S.P with W.H.R.B
Height of Stack (mtr.) (from G.L.)	: 30.0
Stack I.D. at sampling point (mtr.)	: 1.9
Height of sampling port (mtr.) (from G.L.)	: 14.0
Permanent Platform & Ladder	: Yes

B. RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS
1.	Flue Gas Temperature	°C	IS 11255 (Part 1)	: 151.0
2.	Barometric Pressure	mm of Hg.	--	: 758.0
3.	Velocity of Gas flow	m/s	IS 11255 (Part 3)	: 12.0
4.	Quantity of Gas flow	Nm ³ /hr.	IS 11255 (Part III)	: 84125.12
5.	Concentration of SO ₂	mg/Nm ³	IS 11255 (Part 2) 1985 RA 2003	: 555.33
6.	Concentration of CO ₂	% (v/v)	IS 13270 1992 RA 2003	: 11.0
7.	Concentration of CO	% (v/v)	IS 13270 1992 RA 2003	: <1.0
8.	a) Concentration of Particulate Matter (at 11% CO ₂)	mg/Nm ³	IS 11255 (Part - 1) 1985 RA 2003 & ASTM D 3685/D 3685M-98 (reapproved 2005): Sec. 11 (Vol. 3 11.07): 2011	: 26.80
	b) Concentration of Particulate Matter (at 12% CO ₂)			: 29.23

Remarks : Result relates only to the sample tested.

Reviewed By:

DURBADAL CHAKRABORTY
Dy. Quality Manager

Authorised Signatory:

Dr. AJAY PAUL
Quality Manager

H.O. : 63/B, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792891/ 25497490 ■ Fax: 033 25299141
Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792889
E-mail : Info@envirocheck.in / envirocheck50@gmail.com ■ Website : www.envirocheck.in
Branch Office : Siliguri ■ Haldia ■ Durgapur ■ Dhanbad ■ Gangtok ■ Port Blair ■ Dehradun ■ New Delhi
Overseas : UAE ■ Qatar ■ Netherlands



ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018



TEST REPORT

FORMAT NO.: ENV/FM/38

Name of the Industry	: Bravo Sponge Iron Pvt. Ltd.	Type of Industry	: Steel & Power Unit		
Address	: Vill. - Mohuda. P.O. - Rukni, P.S. - Para, Purulia - 723145	Sampling Date	: 24.02.2023		
		Period of Analysis	: 25.02.2023 - 27.02.2023		
		Date of Issue	: 28.02.2023		
Sampling Plan & Procedure	: ENV/SOP/01	Deviation from the Sampling Method and Plan	: No	Type of Sample	: Stack Emission
Sample Condition	: Sealed	Sample ID No.	: ENV/64/Feb./A/II	Report No.	: ENV/64/Feb./TR(A)/II/22-23

A. GENERAL INFORMATION ABOUT STACK PROVIDED BY THE INDUSTRY

Stack Attached to	: Rotary Kiln (No. 3 & 4) attached to common stack		
Shape of Stack	: Circular	Height of Stack (mtr.) (from G. L.)	: 30.0
Materials of Construction	: M.S.	Stack I.D. at sampling point (mtr.)	: 1.80
Capacity	: 100 TPD (each kiln)	Height of sampling port (mtr.) (from G.L.)	: 15.0
Emission Due to	: Oxidation of Coal & Reduction of Fe-Ore		
Fuel Used	: Coal	Permanent Platform & Ladder	: Yes
Working Fuel Consumption	: 5.12 MT/hr. (each Kiln)		
Pollution Control Device	: E.S.P with W.H.R.B		

B. RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS
1.	Flue Gas Temperature	°C	IS 11255 (Part 1)	: 158.0
2.	Barometric Pressure	mm of Hg.	-	: 758.0
3.	Velocity of Gas flow	m/s	IS 11255 (Part 3)	: 12.10
4.	Quantity of Gas flow	Nm ³ /hr.	IS 11255 (Part III)	: 74799.10
5.	Concentration of SO ₂	mg/Nm ³	IS 11255 (Part 2) 1985 RA 2003	: 567.14
6.	Concentration of CO ₂	% (v/v)	IS 13270 1992 RA 2003	: 10.8
7.	Concentration of CO	% (v/v)	IS 13270 1992 RA 2003	: <1.0
8.	a) Concentration of Particulate Matter (at 10.8% CO ₂)	mg/Nm ³	IS 11255 (Part - 1) 1985 RA 2003 & ASTM D 3685/D 3685M-98 (reapproved 2005):	: 17.54
	b) Concentration of Particulate Matter (at 12% CO ₂)		Sec. 11 (Vol. 3 11.07): 2011	: 19.49

Remarks :

Reviewed By:

DURBADAL CHAKRABORTY
Dy. Quality Manager

Authorised Signatory:

Dr. AJOY PAUL
Quality Manager

H.O. : 63/B, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792891/ 25497490 ■ Fax: 033 25299141
 Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792889
 E-mail : info@envirocheck.in / envirocheck50@gmail.com ■ Website : www.envirocheck.in
 Branch Office : Siliguri ■ Haldia ■ Durgapur ■ Dhanbad ■ Gangtok ■ Port Blair ■ Dehradun ■ New Delhi
 Overseas : UAE ■ Qatar ■ Netherlands



ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018



TEST REPORT

FORMAT NG - ENV/EM/38

Name of the Industry	: Bravo Sponge Iron Pvt. Ltd.	Type of Industry	: Steel & Power Unit		
Address	: Vill. - Mohuda, P.O. - Rukni, P.S. - Para, Purulia - 723145	Sampling Date	: 24.02.2023		
		Period of Analysis	: 25.02.2023 - 27.02.2023		
		Date of Issue	: 28.02.2023		
Sampling Plan & Procedure	: ENV/SOP/01	Deviation from the Sampling Method and Plan	: No	Type of Sample	: Stack Emission
Sample Condition	: Sealed	Sample ID No.	: ENV/64/Feb./A/III	Report No.	: ENV/64/Feb./TR(A)/III/22-23

A. GENERAL INFORMATION ABOUT STACK PROVIDED BY THE INDUSTRY

Stack Attached to	: AFBC Boiler		
Shape of Stack	: Circular	Height of Stack (mtr.) (from G.L.)	: 45.0
Materials of Construction	: M.S.	Stack I.D. at sampling point (mtr.)	: 2.20
Capacity	: 20 TPH	Height of sampling port (mtr.) (from G.L.)	: 16.0
Emission Due to	: Oxidation of Coal & Reduction of Fe-Ore		
Fuel Used	: Coal & Dolochar	Permanent Platform & Ladder	: Yes
Working Fuel Consumption	: Coal - 110 TPD & Dolochar - 130 TPD		
Pollution Control Device	: E.S.P with W.H.R.B		

B. RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS
1.	Flue Gas Temperature	°C	IS : 11255 (Part 1)	: 144.0
2.	Barometric Pressure	mm of Hg.	-	: 758.0
3.	Velocity of Gas flow	m/s	IS : 11255 (Part 3)	: 10.33
4.	Quantity of Gas flow	Nm ³ /hr.	IS : 11255 (Part III)	: 98816.46
5.	Concentration of SO ₂ (at 6% O ₂)	mg/Nm ³	IS 11255 (Part 2) : 2019	: 85.76
6.	Concentration of NO _x (at 6% O ₂)	mg/Nm ³	IS 11255 (Part 7) : 2017 / ASTM D 1608-98, Sec. 11 (Vol. 11.07) : 2017	: 79.11
7.	Concentration of CO ₂	% (v/v)	IS 13270 : 2019	: 10.4
8.	Concentration of O ₂	% (v/v)	EPA Method 3 : 2017	: 8.4
9.	Concentration of CO	% (v/v)	IS 13270 : 2019	: <1.0
	a) Concentration of Particulate Matter	mg/Nm ³	IS 11255 (Part - 1) : 2019 & ASTM D 3685/D 3685M-98 (reapproved 2005) : Sec. 11	: 22.36
	b) Concentration of Particulate Matter (at 6% CO ₂)	mg/Nm ³	(Vol.11.07) : 2017	: 26.61

Remarks : Result relates only to the sample tested.

Reviewed By :

DURBADAL CHAKRABORTY
Dr. Quality Manager

Authorised Signatory :

Dr. AJAY PAUL
Quality Manager

H.O. : 63/B, Rastraguru Avenue, Kolkata -700028 • Ph. 033 25792891/ 25497490 • Fax : 033 25299141
 Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata -700028 • Ph. 033 25792889
 E-mail : info@envirocheck.in / envirocheck50@gmail.com • Website : www.envirocheck.in
 Branch Office : Siliguri • Haldia • Durgapur • Dhanbad • Gangtok • Port Blair • Dehradun • New Delhi
 Overseas : UAE • Qatar • Netherlands



ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018



TEST REPORT

FORMAT NO : ENV/FM/38

Name of the Industry	: Bravo Sponge Iron Pvt. Ltd.	Type of Industry	: Steel & Power Unit		
Address	: Vill. - Mohuda. P.O. - Rukni, P.S. - Para, Purulia - 723145	Sampling Date	: 24.02.2023		
		Period of Analysis	: 25.02.2023 - 27.02.2023		
		Date of Issue	: 28.02.2023		
Sampling Plan & Procedure	: ENV/SOP/01	Deviation from the Sampling Method and Plan	: No	Type of Sample	: Stack Emission
Sample Condition	: Sealed	Sample ID No.	: ENV/64/Feb./A/IV	Report No.	: ENV/64/Feb./TR(A)/IV/22-23

A. GENERAL INFORMATION ABOUT STACK PROVIDED BY THE INDUSTRY

Stack Attached to	: Hood Over 2 nos. Induction Furnace attached to common stack		
Shape of Stack	: Circular	Height of Stack (mtr.) (from G. L.)	: 30.6
Materials of Construction	: M.S.	Stack I.D. at sampling point (mtr.)	: 0.6
Capacity	: 15 MT/Charging (each furnace)	Height of sampling port (mtr.) (from G.L.)	: --
Emission Due to	: Melting of Sponge Iron, Pig Iron Scraps etc.		
Fuel Used	: Electricity Operated	Permanent Platform & Ladder	: Yes
Working Fuel Consumption	: Nil		
Pollution Control Device	: Bag Filter		

B. RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS
1.	Flue Gas Temperature	°C	IS 11255 (Part 1)	: 56.0
2.	Barometric Pressure	mm of Hg.	--	: 758.0
3.	Velocity of Gas flow	m/s	IS 11255 (Part 3)	: 9.31
4.	Quantity of Gas flow	Nm ³ /hr.	IS 11255 (Part III)	: 8561.54
5.	Concentration of Particulate Matter	mg/Nm ³	IS 11255 (Part - 1) 1985 RA 2003 & ASTM D 3685/D 3685M-98 (reapproved 2005) : Sec. 11 (Vol. 3 11.07) : 2011	: 37.06

Remarks :

Reviewed By :

DUTRADAL CHAKRABORTY
By. Quality Manager

Authorised Signatory :

Dr. AJAY PAUL
Quality Manager

H.O. : 63/B, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792891/ 25497490 ■ Fax : 033 25299141
 Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792889
 E-mail : info@envirocheck.in / envirocheck50@gmail.com ■ Website : www.envirocheck.in
 Branch Office : Siliguri ■ Haldia ■ Durgapur ■ Dhanbad ■ Gangtok ■ Port Blair ■ Dehradun ■ New Delhi
 Overseas : UAE ■ Qatar ■ Netherlands



ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018



TEST REPORT

FORMAT NO.: ENV/FM/38

Name of the Industry	: Bravo Sponge Iron Pvt. Ltd.	Type of Industry	: Steel & Power Unit		
Address	: Vill. - Mohuda, P.O. - Rukni, P.S. - Para, Purulia - 723145	Sampling Date	: 24.02.2023		
		Period of Analysis	: 25.02.2023 - 27.02.2023		
		Date of Issue	: 28.02.2023		
Sampling Plan & Procedure	: ENV/SOP/01	Deviation from the Sampling Method and Plan	: No	Type of Sample	: Stack Emission
Sample Condition	: Sealed	Sample ID No.	: ENV/64/Feb./A/V	Report No.	: ENV/64/Feb./TR(A)/V/22-23

A. GENERAL INFORMATION ABOUT STACK PROVIDED BY THE INDUSTRY

Stack Attached to	: Fe-Ore Pallet Formation Stack		
Shape of Stack	: Circular	Height of Stack (mtr.) (from G. L.)	: 50.0
Materials of Construction	: Concrete	Stack I.D. at sampling point (mtr.)	: 3.0
Capacity	: 2500 MT/Day	Height of sampling port (mtr.) (from G.L.)	: --
Emission Due to	: Combustion of Producer Gas & PCI Coal		
Fuel Used	: Producer Gas & PCI Coal	Permanent Platform & Ladder	: Yes
Working Fuel Consumption	: 2.78 MT/hr.		
Pollution Control Device	: E.S.P		

B. RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS
1.	Flue Gas Temperature	°C	IS 11255 (Part 1)	: 114.0
2.	Barometric Pressure	mm of Hg.	--	: 758.0
3.	Velocity of Gas flow	m/s	IS 11255 (Part 3)	: 11.46
4.	Quantity of Gas flow	Nm ³ /hr.	IS 11255 (Part III)	: 223718.68
5.	Concentration of SO ₂ (at 6% O ₂)	mg/Nm ³	IS 11255 (Part 2) 1985 RA 2003	: 43.58
6.	Concentration of CO ₂	% (v/v)	IS 13270 1992 RA 2003	: 9.0
7.	Concentration of CO	% (v/v)	IS 13270 1992 RA 2003	: <1.0
8.	Concentration of Particulate Matter	mg/Nm ³	IS 11255 (Part - 1) 1985 RA 2003 & ASTM D 3685/D 3685M-98 (reapproved 2005) : Sec. 11 (Vol. 3 11.07) : 2011	: 28.54

Remarks : Result relates only to the sample tested.

Reviewed By:

DURBADAL CHAKRABORTY
Dy. Quality Manager

Authorised Signatory:

Dr. AJOY PAUL
Quality Manager

H.O. : 63/B, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792891/ 25497490 ■ Fax : 033 25299141
 Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata -700028 ■ Ph. 033 25792889
 E-mail : info@envirocheck.in / envirocheck50@gmail.com ■ Website : www.envirocheck.in
 Branch Office : Siliguri ■ Haldia ■ Durgapur ■ Dhanbad ■ Gangtok ■ Port Blair ■ Dehradun ■ New Delhi
 Overseas : UAE ■ Qatar ■ Netherlands

Annexure-2

FORM 4
[See rules 6(5), 13(8), 16(6) and 20 (2)]
Annual Return
under

Hazardous & Other Wastes(Management & Transboundary Movement) Rules, 2016
Transboundary Movement) Rules, 2016

To be submitted to State Pollution Control Board by 30th day of June of every year for the preceding period April to March

Return No : 4170044

Period : 2022-2023

1. Name of facility/Industry Industry Address of facility/Industry	BRAVO SPONGE IRON PVT. LTD. Vill-Mahuda, PO-Rukni, PS-Para, Dist-Purulia (WB)			
2. UID	WB0299683010			
3. Authorisation No Date of issue: Date of Expiry	252/2S(HW) 3675/2019 23/12/2022 31/07/2024			
4. (i) Name of the authorised person & Designation	Deepak Kumar Agarwal Director			
(ii) Correspondence Address	Village- Mahuda, P.O-Rukni, P.S-Para, Dist: Purulia, Pin-723145.			
(iii) Mobile No	9233331111			
(iv) Land Line No (with area code)				
(iv) Fax number (with area code)				
(vi) e-mail	cmd@shakambharigroup.in			
(vii) Type of HW Handler	Generator			
(viii) If involved in Interstate Movement of HW	Yes			
5. Production during the year (product wise), wherever applicable	Sr.no	Product Name	Quantity	Unit
	1	SPONGE IRON	150567	Metric Ton
	2	M.S. BILLET	28501	Metric Ton
	3	PELLET	1036205	Metric Ton

Part A. To be filled by hazardous waste generators

Sr. no	Name of Process	Category	Waste Stream	Unit	Quantity in stock at the beginning of the year	Total quantity of waste generated	Quantity dispatched to disposal facility	Quantity dispatched to recycler or co-processors or pre-processor	Quantity dispatched to others	Quantity utilised in house	Quantity in storage at the end of the year

1	Schedule I - 35. Purification and treatment of exhaust air/gases, water and waste water from the processes in this schedule and common industrial effluent treatment plants (CETPs)	Exhaust Air or Gas cleaning residue	35.1	Metric Ton	0 Metric Tonnes/Y ear	41.16 Metric Tonnes/Y ear	0 Metric Tonnes/Y ear	40.88 Metric Tonnes/Y ear	0 Metric Tonnes/Y ear	0 Metric Tonnes/Y ear	0.279999 9999999 9403 Metric Tonnes/Y ear
2	Schedule I - 13. Production of iron and steel including other ferrous alloys (electric furnaces; steel rolling and finishing mills; Coke oven and by product plant)	Used Oil	5.1	Metric Ton	0.025 Metric Tonnes/Y ear	1.1 Metric Tonnes/Y ear	0 Metric Tonnes/Y ear	1.108 Metric Tonnes/Y ear	0 Metric Tonnes/Y ear	0 Metric Tonnes/Y ear	0.016999 9999999 99904 Metric Tonnes/Y ear
3	Schedule I - 13. Production of iron and steel including other ferrous alloys (electric furnaces; steel rolling and finishing mills; Coke oven and by product plant)	Used Cotton	5.2	Metric Ton	0 Metric Tonnes/Y ear	0.26 Metric Tonnes/Y ear	0 Metric Tonnes/Y ear	0 Metric Tonnes/Y ear	0 Metric Tonnes/Y ear	0.26 Metric Tonnes/Y ear	0 Metric Tonnes/Y ear

Part B. To be filled by Treatment, storage and disposal facility operators

Sr. no	Name of Process	Category	Waste Stream	Unit	Quantity in stock at the beginning of the year	Total quantity received	Quantity treated	Quantity disposed in landfills as such and after treatment	Quantity incinerated (If applicable)	Quantity processed other than specified above	Quantity in storage at the end of the year
--------	-----------------	----------	--------------	------	--	-------------------------	------------------	--	--------------------------------------	---	--

Part C. To be filled by recyclers or co-processors or other users

Sr. no	Name of Process	Category	Waste Stream	Unit	Quantity in stock at the beginning of the year	Quantity of waste received during the year from Domestic sources	Quantity of waste received during the year Imported	Quantity recycled or co-processed or used	Quantity re-exported (wherever applicable)	Quantity in storage at the end of the year
--------	-----------------	----------	--------------	------	--	--	---	---	--	--

Whether Importing Other Wastes Not-Selected

Part D. Details of Interstate Movement

Sr.no	Name of Industry (Within State)	District	Receiving/SENDING	Name of Industry (Other State)	State	Type of Waste	Qty.(MTA)	Purpose (Recycling/Disposal/Incineration)
-------	---------------------------------	----------	-------------------	--------------------------------	-------	---------------	-----------	---

1	Bravo Sponge Iron Pvt. Limited	Purulia	Sending	Nilay Narayan Ploychem LLP	Jharkhand	Used Oil	1.108 MTA	Recycling
---	--------------------------------------	---------	---------	-------------------------------------	-----------	----------	-----------	-----------

Part D. Details of Import of Other Waste Import & Recycling					
Sr.no	Name of the Importer)	Imported from (country name)	Type of Other waste	Quantity Imported (MTA)	Quantity Recycled (MTA)

Date : 04/09/2023

Place : Purulia

DEEPAK KUMAR AGARWAL

**Name of the Occupier or Operator of the
disposal facility**