

Ref: - ESPL/HCL/SMC/APRIL - SEPT-2021

Date: 29.11.2021

To,  
**The IGF & Incharge**  
GOI, MoEF&CC,  
Integrated Regional Office, Kolkata  
IB-198, Salt Lake City, Sector-III  
Kolkata - 700106

**SUB: Six Monthly (April-2021 to September-2021) Compliance to Environmental Clearance conditions vide MoEF&CC F. No. J-11011/49/2010-IA-II (I) Date: 3<sup>rd</sup> September, 2012 & EC transfer letter dated 15<sup>th</sup> October 2020 by M/s Eloquent Steel Pvt. Ltd. (formerly Hira Concast Ltd.) Vill-Nakrajoria, PO & PS-Salanpur, Dist. -Paschim Bardhaman (WB)**

Dear Sir/Madam,

With reference to above, we are submitting enclosed herewith the six monthly compliance report (Period: April-2021 to September-2021) for M/s Eloquent Steel Pvt. Ltd. (Formerly Hira Concast Ltd.) Village-Nakrajoria, PO & PS-Salanpur, Dist.-Paschim Bardhaman (WB) as per the directives of Ministry of Environment, Forest and Climate Change, Government of India. Point wise compliance status report along with latest environment monitoring data is enclosed for your kind perusal.

Hard copy of the report has not been sent following MoEF&CC direction vide File No. 106-12/EPE Dated 11.05.2020. Hope you will find the same in order.

Kindly acknowledge our submission.


Thanking You.

Yours Faithfully,

For **Eloquent Steel Pvt. Ltd.**  
(Formerly Hira Concast Ltd.)

(Authorized Signatory)

Encl: as above



Copy to:

The Sr. Environmental Engineer, West Bengal Pollution Control Board, Asansol Regional Office,  
Dr. B.C. Roy Road, KSTP, PO-Ramkrishna Mission, Dist.-Paschim Bardhaman (WB)-713305

# SIX MONTHLY COMPLIANCE REPORT

APRIL, 2021 – SEPTEMBER, 2021



Prepared by:

M/s Eloquent Steel Pvt. Ltd.

(Formerly M/s Hira Concast Limited)

Vill-Nakrajoria, PO-Salanpur, Dist-Paschim Bardhaman-713357 (WB)



# Eloquent Steel Pvt. Ltd.

(Formerly Hira Concast Ltd.)

## COMPLIANCE STATUS ON ENVIRONMENTAL CLEARANCE

Ref: MoEF&CC F. No. : J-11011/49/2010-IA-II (I) Date : Sept. 03, 2012 and,  
EC transfer letter dated 15th October, 2020

### COMPLIANCE PERIOD:

**APRIL-2021 TO SEPTEMBER-2021**


### INTRODUCTION

The project of M/s Eloquent Steel Pvt. Ltd. (formerly M/s. Hira Concast Ltd.) is located at Village-Nakrajoria, PO & PS- Salanpur, District- Paschim Bardhaman-713357

Eloquent Steel Private Limited (ESPL) was incorporated in the year 2012. As per Certificate of Incorporation Corporate Identity Number is U 51909 WB 2012 PTC 185734, 2012-13 dated 11.09.2012 issued by the Registrar of Companies, Kolkata. For the purpose of setting up Ferro Alloy Plant, ESPL has acquired 2 existing Plants (closed units) which are located adjacent to each other with common boundary wall through Auction from Official Liquidator of Hon'ble High Court, Calcutta and possession received on 01.09.2017 (**Annexure-1**). Date of land registry in the name of Eloquent Steel Pvt. Limited from Hira Concast Ltd is -27.11,2017. The unit was not in operation for about three years and was put up for auction by the authorities. The Required Maintenance and Overhauling work started from April, 2018, and the operation was started in the month of April, 2019.

M/s. Eloquent Steel Pvt. Ltd. applied for transfer of environmental clearance from Hira Concast Limited and it was transferred on 15<sup>th</sup> October, 2020 by the order of MoEF&CC (Impact Assessment Division) (**Annexure-2**). Consent to Establish & Consent to Operate has also been obtained from West Bengal Pollution Control Board in the name of Eloquent Steel Pvt. Ltd. As part of the compliance of statutory requirement environmental quality monitoring has been carried out by M/s Envirocheck, Kolkata, West Bengal.

The detail regarding compliance is given herewith in the following pages for the six monthly period of April-2021 to September-2021.



Name of the Project	:	M/s Eloquent Steel Pvt. Ltd. (Formerly Hira Concast Ltd.) Village-Nakrajoria, PO & PS-Salanpur, Dist.-Paschim Bardhaman (WB)
Environmental Clearance Letter Ref.	:	F. No. J-11011/49/2010-IA-II(I) Date : Sept. 03, 2012 and EC transfer letter dated 15 <sup>th</sup> October, 2020.
Period of Compliance Report	:	April 2021 to September 2021

SL. NO.	CONDITIONS	COMPLIANCE STATUS
<b>SPECIFIC CONDITIONS:</b>		
1.	No charcoal shall be used as fuel. Pet coke shall be used as fuel instead of charcoal from unknown sources.	No charcoal is being used as fuel.
2.	Continuous monitoring facilities for all the major stacks and sufficient air pollution control equipment viz. fume extraction system with bag filters, ID fan and stack of adequate height to submerged arc furnace shall be provided to control emissions below 50mg/Nm <sup>3</sup> .	The unit was not in operation for almost 3 years when ESPL acquired this closed unit in 2017. The plant again resumed the operations in the year 2019. Continuous Emission Monitoring System has been installed, its connectivity with CPCB server is under process. Air pollution control devices viz. dust extraction systems with bag filters have been installed and efficiently operated to control emission level well within the norms. Third party monitoring by NABL accredited laboratory being conducted periodically to evaluate the emission levels. Latest stack monitoring report is enclosed as <b>Annexure-3</b>
3.	The National ambient Air Quality Standards issued by the Ministry vide G.S.R No. 826(E) dated 16th November, 2009 shall be followed.	Being complied. Ambient Air Quality is regularly being monitored. Last Monitoring Report is enclosed as <b>Annexure-4</b>
4.	Secondary fugitive emissions from all the sources shall be controlled within the latest permissible limits issued by the Ministry and regularly monitored. Guidelines / Code of Practice issued by the CPCB shall be followed.	Fume extraction system with spark arrester and bag filters have been provided with the Induction Furnaces and Fume extraction system with FDC & Bag Filters are provided with SEAFs to capture Fugitive emissions during process operation. Water sprinkling being done to control fugitive emissions on roads. Last work zone monitoring report is enclosed as <b>Annexure-5</b> .



SL. NO.	CONDITIONS	COMPLIANCE STATUS
5.	Regular monitoring of influent and effluent surface, sub-surface and ground water shall be ensured and treated wastewater shall meet the norms prescribed by the State Pollution Control Board or described under the E(P) Act whichever are more stringent. Leachate study for the effluent generated and analysis should also be regularly carried out and report submitted to the Ministry's Regional Office at Bhubaneswar, SPCB and CPCB.	It is being complied. Regular monitoring of effluent and surface water quality is being done. No effluent being discharged outside the plant premises. Last monitoring report is enclosed as <b>Annexure- 6 &amp; 7.</b>
6.	The makeup water requirement shall not exceed 28m <sup>3</sup> /day. 'Zero' effluent discharged shall be strictly followed and no wastewater should be discharged outside the premises.	All possible attempts are taken to ensure optimal use of water within the factory premises. Recycle and Reuse practices has been adapted by us to ensure 'Zero' effluent discharge and no effluent being discharged outside factory premises.
7.	Efforts shall be made to make use of rain water harvested. If needed, capacity of the reservoir should be enhanced to meet the maximum water requirement. Only balance water requirement should be met from other sources.	Noted. We have a rain water harvesting pond and water from this pond is being used in order to keep the water requirement low.
8.	Slag produced in Ferro Manganese (Fe-Mn) production shall be used in manufacture of Silico Manganese (Si-Mn). All the other ferro alloy slag shall be used in the preparation of building materials.	It is being complied. Ferro Manganese (Fe-Mn) Slag being used for the manufacturing of Silico Manganese Slag (Si-Mn), and Silico Manganese slag being used for land filling and road construction.
9.	No Ferro Chrome shall be manufactured without prior approval from the Ministry of Environment & Forests.	Noted.
10.	Risk and Disaster Management Plan along with the mitigation measures should be prepared and a copy submitted to Ministry's Regional Office at Bhubaneswar.	Risk and Disaster Management Plan along with mitigation measures has been prepared and submitted to Ministry's Regional Office at Bhubaneswar.
11.	All the commitments made to the public during the public Hearing/Public Consultation meeting held on 17th November, 2011 should be satisfactorily implemented and a	Public Hearing was held on 17th November, 2011 and EC was granted on 3 <sup>rd</sup> September, 2012 and M/S Hira Concast Ltd. a closed unit was purchased by Eloquent Steel Pvt. Ltd. (ESPL) and possession was taken over on 01.09.2017 through auction from



SL. NO.	CONDITIONS	COMPLIANCE STATUS
	separate budget for implementing the same should be allocated and information submitted to the Ministry's Regional Office at Bhubaneswar.	Official Liquidator of Hon'ble High Court Calcutta and we don't have the Public Hearing details that's why specific compliance is difficult for us.
12.	As proposed, green belt should be developed in at least 33% of the project area. Selection of Plant species shall be as per the CPCB guidelines in consultation with the DFO.	We have undertaken massive plantation programme in the premises by planting the indigenous species in consultation with DFO along with maintenance of existing plantation to achieve the desired target. Some photographs are attached as <b>Annexure 8</b> .
13.	At least 5% of the total cost of the project should be earmarked towards the Enterprises Social Commitment based on Public Hearing issues and item-wise details along with time bound action plan should be prepared and submitted to the Ministry's Regional Office at Bhubaneswar. Implementation of such program shall be ensured accordingly in a time bound manner.	EC was granted on 3 <sup>rd</sup> September, 2012 and M/S Hira Concast Ltd. a closed unit was purchased by Eloquent Steel Pvt. Ltd. (ESPL) and possession was taken on 01.09.2017 through auction from Official Liquidator of Hon'ble High Court, Calcutta and we don't have any record of Public Hearing. It is believed that details might have been submitted by the then proponent.
14.	The company shall provide housing for construction labour within site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Noted. At present no construction work is carried on.
<b>GENERAL CONDITIONS:</b>		
1	The project authorities must strictly adhere to the stipulations made by the West Bengal Pollution Control Board (WBPCB) and the State Government.	Complied. Stipulations made by the West Bengal Pollution Control Board (WBPCB) and the State Government is being adhered by the company. Consent to Operate obtained from WBPCB is attached as <b>Annexure-9</b> .
2.	No further expansion or modification in the plant shall be carried out without prior approval of the Ministry of Environment and Forests.	Noted. No further modification or expansion will be undertaken without prior approval of the MoEF&CC.



SL. NO.	CONDITIONS	COMPLIANCE STATUS
3.	At least four ambient air quality monitoring stations shall be established in the downward direction as well as where maximum ground level concentration of PM, SO <sub>2</sub> and NO <sub>x</sub> are anticipated in consultation with the WBPCB including one ambient air quality monitoring station in the downwind direction. Data on ambient air quality and stack emission should be regularly submitted to this Ministry including its Regional Office at Bhubaneswar and the WBPCB/CPCB once in six months.	Ambient Air Quality Monitoring being carried on as per direction in consideration of maximum ground level concentration of PM <sub>10</sub> , PM <sub>2.5</sub> , SO <sub>2</sub> , and NO <sub>x</sub> . Last Ambient Air Quality monitoring reports and stack monitoring reports are enclosed as <b>Annexure-4</b> and <b>Annexure-3</b> .
4.	Industrial wastewater shall be properly collected, treated so as to the standards prescribed under GSR 422 (E) dated 19 <sup>th</sup> May, 1993 and 31 <sup>st</sup> December, 1993 or as amended from time to time. The treated wastewater shall be utilized for plantation purpose.	Recycle and reuse practice has been adapted by us and no industrial waste water being discharged outside the factory premises. Effluent analysis report is enclosed as Annexure-6.
5.	The overall noise levels in and around the plant area shall be kept well within the standards [(85 dB(A)] by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dB(A) (day time) and 70 dB(A) (night time).	It is being complied. Noise control measures has already been implemented to keep the noise level well within the 85 dB (A) and ambient noise level below 75 dB (A) (during day time) and 70 dB (A) (during night time). Ambient Noise and Work Zone Noise Monitoring report is attached as <b>Annexure 10A</b> and <b>10B</b> .
6.	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Occupational health surveillance for the employees being carried and records are maintained.
7.	The company shall develop rain water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.	Complied. We have rain water harvesting pond and water from this pond is being reused in order to keep the water requirement low.



SL. NO.	CONDITIONS	COMPLIANCE STATUS
8.	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.	<p>EC was granted on 3<sup>rd</sup>September, 2012 and M/S Hira Concast Ltd. a closed unit was purchased by Eloquent Steel Pvt. Ltd. (ESPL) and possession was taken on 01.09.2017 through auction from Official Liquidator of Hon'ble High Court, Calcutta. EIA/EMP report is not having with us.</p> <p>Environmental protection measures viz. dust/Fume extraction system with spark arrester and bag filters have been provided with the Induction Furnaces and Fume extraction system with FD cooler followed by Bag Filters are provided with SEAFs to capture Fugitive emissions during process. Water sprinkling being done to control fugitive emissions on roads. For the safeguard of employees PPEs like safety helmet, safety shoes, hand gloves, nose masks, ear plug safety apron etc. being provided.</p> <p>Third party monitoring by NABL accredited laboratory being conducted periodically to evaluate the stack emission level, Ambient Air Quality, Work Zone Air quality, Ambient noise and work zone noise level. Reports are enclosed as <b>Annexure-3, 4, 5 &amp; 10A &amp; 10B.</b></p> <p>With normalization of covid-19 situation, company is initiating its contribution community development program in the surrounding villages like study materials to school children, clothing etc. Some photographs of distribution of study material, school bags, hand sanitizer, mask, etc. to the nearby village people under the CSR activity are attached as <b>Annexure-11.</b></p>
9.	As proposed, Rs. 2.5Crores and Rs. 0.7Crores shall be earmarked towards the capital cost and recurring cost/annum for environmental protection measures and judiciously utilized to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government. The funds so provided shall not be diverted for any other purpose.	<p>As M/s Hira Concast Ltd. was purchased by ESPL through auction that's why we don't have the details of capital cost incurred. Recurring cost utilized for environmental protection measures was approx. Rs. 0.16 Crores during this compliance period.</p> <p>Suitable manpower has been provided for an efficient operation, monitoring and maintenance of the pollution control devices installed.</p>





SL. NO.	CONDITIONS	COMPLIANCE STATUS
10.	A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad / Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site company by the proponent.	Complied. It is believed that the same has been compiled by the then project proponent to concerned local body. Trade License (Form-11) from Village Panchyat is attached as <b>Annexure- 12</b> .
11.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update same periodically. It shall simultaneously be sent to the Regional Office of the MOEF, the respective Zonal Office of CPCB and the WBPCB. The criteria pollutant levels namely; SPM, RSPM SO <sub>2</sub> , NO <sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Being complied. Compliance status with the stipulated EC conditions shall be uploaded on company's website.  <a href="http://shakambhariispat.com/environmental-compliance">http://shakambhariispat.com/environmental-compliance</a>  Compliance status report shall be submitted as per direction.
12.	The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environment conditions including results of monitored data (both in hard copies as well as by e-mail) to the regional Office of MOEF at Bhubaneswar, the respective Zonal Office of CPCB and the SPCB. The Regional Office of this Ministry at Bhubaneswar / CPCB / WBPCB shall monitor the stipulated conditions.	It is being complied. Six monthly reports of EC Compliance including results of monitored data was regularly submitted to the regional Office of MOEF at Bhubaneswar and now it is submitted to the Integrated Regional Office Kolkata as per direction and the respective Zonal Office of Pollution Control Board.
13.	The environment statement for each financial year ending 31 <sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution	Being complied. The environment statement for Financial Year 2020-21 has been submitted to WBPCB with copy to Integrated Regional Office of the MOEF&CC and the report will be uploaded on the company's website as



SL. NO.	CONDITIONS	COMPLIANCE STATUS
	Control Board as prescribed under the Environment (Protection) Rules, 1986 as amended subsequently, shall be put on the website of the company along with the status of compliance of environment conditions and shall also be sent the respective Regional Offices of the MOEF by e-mail.	per direction. The submitted copy of Environment Statement is attached as <b>Annexure-13</b> .
14.	The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the WBPCB and may also be seen at Website of the Ministry of Environment and Forests at <a href="http://envfor.nic.in">http://envfor.nic.in</a> . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the Regional Office at Bhubaneswar.	EC was granted on 3 <sup>rd</sup> September, 2012 and M/S Hira Concast Ltd. a closed unit was purchased by Eloquent Steel Pvt. Ltd. (ESPL) in September, 2017 through auction from Official Liquidator of Hon'ble High Court, Calcutta.  Since EC was granted on 3 <sup>rd</sup> September 2012; therefore, it is believed that the same has been compiled by the then project proponent.
15.	Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	EC was granted on 3 <sup>rd</sup> September, 2012 and M/S Hira Concast Ltd. a closed unit was purchased by Eloquent Steel Pvt. Ltd. (ESPL) in September, 2017 through auction from Official Liquidator of Hon'ble High Court, Calcutta.  Since EC was granted on 3 <sup>rd</sup> September 2012; therefore, it is believed that the same has been compiled by the then project proponent



# Annexure - 1

O/C.

# Eloquent Steel Private Limited

19, Biplabi Anukul Chandra Street, Kolkata-700072

Tel: +919433014488, e-mail: [vcpl@hotmail.co.in](mailto:vcpl@hotmail.co.in)

CIN : U51909WB2012PTC185734

31 August 2017

SPEED POST

To,  
The Superintendent of Police,  
Burdwan District,  
Badamtala, Kalibazar, Burdwan,  
West Bengal 713101

Sub: Hiran Concast Ltd. (In liquidation), Dendua, PS: Salanpur, Burdwan.

Dear Sir,


In terms of the orders passed by His Lordship, Hon'ble Justice I.P. Mukherjee, Calcutta High Court, on 25.08.2017, we were the successful purchaser of the assets and properties of the aforesaid Company (In liquidation). The Official Liquidator was directed to give possession and Police authority to render all assistance to the Official Liquidator to handover peaceful possession to the purchaser.

The Official Liquidator by its letter dt. 30.08.2017 is going to handover the possession of the same on 01.09.2017 in terms of the order dated 25.08.2017.

This is for information and necessary action.

Thanking you,

Yours faithfully,  
For Eloquent Steel Private Limited,

  
Jagdaran Gupta  
Director

Encl.: Order dated 25.08.2017 and letter dt. 30.08.2017 of the Official Liquidator.

Cc to:

The Officer-In-Charge,  
Salanpur Police Station, *Kalyaneshwari Investigation Centre*  
Near Salanpur Railway Station, *Asansol, Durgam Police*  
PWD Old Building, *Under Salanpur P.S.*  
Khudika Mouja.

*Received*  
*[Signature]*  
*AV*  
*09.09.17*

SP PRINCEP STREET 700072  
DSTN No: 19AAAGP0731J1ZB *mafra 900*  
EW7644149051M  
Counter No: 1, CP-Code: 1001  
To: THE S.P. OF POLICE, BURDWAN DIST. Post  
BURDWAN, PIN: 713101  
From: ELOQUENT STEEL PRIVATE LIMITED, KOL-072  
Wt: 30 grams. .31/08/2017 .14:56  
PG: 41.00

Phone : 2242-0708  
2243-5073  
2248-6067



Tele: SAMAPOC  
FAX: 2248-2483  
E-mail: Olkolkata@gmail.com  
ol-kolkata-mca@nic.in

Government of India/भारत सरकार

Ministry of Corporate Affairs/कॉर्पोरेट कार्य मंत्रालय

Office of the Official Liquidator/शासकीय समापक का कार्यालय

High Court, Calcutta/उच्च न्यायालय, कलकत्ता

9, Old Post Office Street 5<sup>th</sup> Floor, /9, ओल्ड पोस्ट आफिस स्ट्रीट, 5वाँ मंजिल,

Kolkata - 700 001/कोलकाता 700 001

No. OL-1821/12/ 2969 /G

Dated: 30<sup>th</sup> August, 2017

To  
The Director,  
Eloquent Steel Private Ltd.  
19, Biplabi Anukul Chandra Street,  
Kolkata- 700072

C.P. No. 84 of 2015  
In the matter of:-  
Hira Concast Ltd.  
(In Liquidation)

**Sub: Making over possession of the assets & properties at the factory premises**

Sir,


In compliance with the order of the Hon'ble High Court, Calcutta dated 25<sup>th</sup> August, 2017, the date of making over possession of the entire assets and properties of the subject Company (In Liquidation) lying and situate at the factory premises at Mouza- Nacrojoria, P.O. + P.S. - Salanpur, Dist: Burdwan, WB- 713357 has been fixed on 1<sup>st</sup> September, 2017 at 12.30 P.M. onwards.

A web-text of the order dated 25<sup>th</sup> August, 2017 is enclosed hereto.

In view of the above, you are requested to be present on the spot in person or by any authorised representative with a letter of authority and Identity Card at the time of making over possession of the aforesaid factory premises of the Company (In Liquidation) on the aforesaid date and schedule.

Yours faithfully,

Encl: As stated

  
Asstt. Official Liquidator,  
High Court, Calcutta

crowding the Court with offers and counter-offers thereby stalling and postponing the sale.

In those circumstances, sale of the above assets is confirmed in favour of Eloquent Steel Private Limited for Rs. 5,20,00,000/-, subject to the purchaser paying the balance consideration by 25<sup>th</sup> October 2017 when the sale will become absolute. After receipt of the balance consideration the Official Liquidator will execute a conveyance and registration in favour of the purchaser at their cost. The Superintendent of Police, Burdwan will render all assistance to the Official Liquidator to hand over peaceful possession to the purchaser.

The earnest money of the unsuccessful bidders shall be returned to them by the Official Liquidator not later than two weeks from date.

In default of making the payment the Official Liquidator will forthwith take out a letter for direction to obtain appropriate orders from this Court.

Both the applications (CA No. 297 of 2017 and CA No. 287 of 2017) are disposed by this order.

Certified photocopy of this order, if applied for, be supplied to the parties upon compliance with all requisite formalities.

(I. P. MUKERJI, J.)

Date: 01<sup>st</sup> Sept, 2017

Time: 12:30 pm

Place: factory premises  
of the Company (in liquidation)

Nouza - Naerogoria

P.S. - Salaipur

Distt - BURDWAN

WEST BENGAL

CA No. 297 of 2017

with

CP No. 84 of 2015

CA No. 287 of 2017

In the matter of:

HINA Concast Ltd

(In Liquidation)

Presents:

(1) Sh. A. Bandhopadhyay  
Aut 01/09/17  
01/09/17

(2) Sh. S. Sen  
(The authorized repth of the OL  
for Eloquent Steel Pvt. Ltd.)  
01/09/17

(3) Sh. Sekhar Gupta  
(The authorized repth. of Eloquent Steel Pvt. Ltd. being the purchaser pursuant to the order dt. 25/8/17 passed by Hon'ble High Court, Calcutta)  
Authorized Signatory  
01/09/17

(4) Sh. Biswajit Barik  
ASI, Kalyaneswar Investigation Centre

(5) Sh. Prosenjit Roy  
(The repth of Shiv Shakti Services, being the security agency deployed by OL at the time of possession)

In pursuance of the order of the Hon'ble High Court, Calcutta dated 25/8/2017 passed in the aforementioned applications followed by the order of the official liquidator dt. 30/8/2017 and upon appropriate notice being given to all concerned parties including Commissionerate, Anantol - Durgapur Police, IC, Salaipur, OC, of Kalyaneswar Investigation Centre and the purchaser and the security agency viz. Shiv Shakti Security Service on 30/8/2017 the representatives of the official liquidator as mentioned in the margin accompanied with Sh. Sekhar Gupta, the repth. of the successful purchaser viz. Eloquent Steel Pvt. Ltd. attended heret at the aforementioned premises of the Company (in liquidation) for the purpose of making over possession of the same in compliance with the Hon'ble High court order dt. 25/8/2017.

The repth. of on and the successful purchaser firstly met with Sh. Biswajit Barik officer of Kalyaneswar Investigation Centre and explained him the purpose of visit. The said officer assured the repth. about such assistance to be provided from the Police Authority pursuant to the order of the Hon'ble High Court dt. 25/8/2017.



Thereafter the rept. of OL and the purchaser entered into the aforesaid factory premises for making over possession of the assets & properties of the Company (in liquidation) in terms of Hon'ble High Court order dt. 25/8/2017.

On entrance, the rept. of OL met with Sh. Prosenjit Koley, a rept. of the Shiv Shakti Security Service who were being informed about the proceeding.

Thereafter the rept. of OL, rept. of successful purchaser and security agency took a round inspection of the entire premises of the Co. (liq'n) and made over peaceful possession to the rept. of the purchaser, on 'as is where is' and whatever there is basis'. The rept. of the purchaser took over the same with full satisfaction. Accordingly all available keys were duly made over to the rept. of the successful purchaser after removing the existing seal made thereof.

On the move, the rept. of the purchaser was requested to engage their own security Agency since the security agency engaged by the official liquidator is being withdrawn from the factory premises in course of day.

(1) *Ant*  
01/09/17

(2) *Ant*  
01/09/17

(3) of Eloquent Steel Pvt. Ltd.  
*Ant*  
01/09/17  
Authorized Signatory.

(4) *Basu*  


(5) Prosenjit Koley -  
11/9/17



(1) Aut  
01/09/17

The Rept. of the Security Agency as mentioned in the margin, has withdrawn their security Guards/Guards from the factory premises as advised vide OL's order dt. 30/8/2017.

(2) Secur.  
01/09/17

After taking over peaceful possession of the entire factory premises the purchaser desired to take delivery of the few scrap materials which were lying scattered in the factory premises. Accordingly one truck bearing vehicle No. MH 31 M 3514 was being loaded and passed over from the factory premises.

(3) Eloquent Steel Pvt. Ltd.  
01/09/17  
Authorized Signatory

The entire proceedings was executed in presence of local Police Authority, purchaser and Security Agency and upon satisfaction of the parties represented herein.

(4) Bareilly  


(5) Present Key -  
11/9/17

The documents used during this proceeding as follow:-  
i) Letter of Authority in favour of the rept. of the purchaser.  
ii) Board Resolution confirming authorization.  
iii) Photocopy of the identifying Card of the rept. of the purchaser.  
iv) Hon'ble High Court order dt. 25/8/17.  
which are forming a part of this minutes. After making all compliances, the rept. of OL left the premises at about 4 PM.

# Annexure - 2

F. No. J-11011/49/2010-IA. II (I)  
Government of India  
Ministry of Environment, Forest and Climate Change  
(Impact Assessment Division)

Indira Paryavaran Bhawan  
Jor Bagh Road, Aliganj,  
New Delhi – 110003  
E-mail: dirind-moefcc@gov.in  
Tel: 011-24695368

Dated: 15<sup>th</sup> October, 2020

To

Shri. Deepak Kumar Agarwal,  
Director,  
M/s. Eloquent Steel Private Limited,  
Village: NakraJoria, P.O: Salanpur,  
District: Paschim Burdwan,  
West Bengal – 700017.  
E-mail: [esplmoef@shakambharigroup.in](mailto:esplmoef@shakambharigroup.in)

Subject: Transfer of Environment Clearance titled “Expansion of Ferro Alloy Plant (Fe-Mn & Si-Mn) by installing 5.5 MVA SAF at Mouza Nakrajoria, P.S. Salanpur, Dist. Burdwan, West Bengal” **from M/s. Hira Concast Limited to M/s. Eloquent Steel Private Limited –regarding.**

Ref. : (i) MoEF&CC letter No. J-11011/533/2008-IA-II (I) dated 11/12/2008  
(ii) MoEF&CC letter No. J-11011/49/2010-IA-II (I) dated 03/09/2012  
(ii) Online proposal no. IA/WB/IND/165821/2020 dated 07/08/2020 & subsequent ADS reply letter dated 31/08/2020

Sir,

1. Reference is invited to your online proposal no. IA/WB/IND/165821/2020 dated 07/08/2020 & subsequent ADS reply letter dated 31/08/2020 requesting the Ministry to transfer the Environment Clearance accorded by MoEF&CC vide letter no. J-11011/533/2008-IA.II(I) dated 11/12/2008 and J-11011/49/2010-IA-II (I) dated 03/09/2012 from M/s. Hira Concast Limited to M/s. Eloquent Steel Private Limited.
2. The Ministry of Environment, Forest and Climate Change (MoEF&CC) has examined the request submitted by you. It is noted that the unit was not under operation for the last three years and was put up for auction by the authorities. The possession of M/s. Hira Concast Limited was made through Auction from Official Liquidator of Hon'ble High Court of Calcutta by M/s. Eloquent Steel Private Limited on 1/09/2017.
3. It is also noted that following documents have been submitted for the transfer of Environment Clearance dated 11/12/2008 and 03/09/2012:
  - i. Form No.7 for transfer of Environmental Clearance.
  - ii. Authorization letter enabling Shri. Deepak Kumar Agarwal, Director to correspond and execute documents with MoEF&CC

*Transfer of Environment Clearance titled “Expansion of Ferro Alloy Plant (Fe-Mn & Si-Mn) by installing 5.5 MVA SAF at Mouza Nakrajoria, P.S. Salanpur, Dist. Burdwan, West Bengal” from M/s. Hira Concast Limited to M/s. Eloquent Steel Private Limited.*

- iii. Order dated 25/08/2017 of Hon'ble High Court of Calcutta in C.A. No. 287 & 297 of 2017 regarding auction for sale of property of M/s. Hira Concast Limited.
  - iv. Undertaking dated 28/07/2020 of M/s. Eloquent Steel Private Limited in a non-judicial stamp paper stating that they will be complying with the environmental safeguards mentioned in the Environment Clearance letter dated 11/12/2008 and 03/09/2012.
  - v. Memorandum and Articles of Association of M/s. Eloquent Steel Private Limited.
  - vi. Certificate of incorporation issued by the Ministry of Corporate Affairs to M/s. Eloquent Steel Private Limited on 11/09/2012.
4. This Ministry hereby accepts your request for change of company name in the Environment Clearance accorded vide letter no. J-11011/533/2008-IA.II(I) dated 11/12/2008 and J-11011/49/2010-IA-II (I) dated 03/09/2012 from M/s. Hira Concast Limited to M/s. Eloquent Steel Private Limited subject to satisfactory compliance to all the stipulated specific and general conditions. You are also requested to obtain 'Consent to Operate' from the West Bengal Pollution Control Board in the name of M/s. Eloquent Steel Private Limited.
5. M/s. Eloquent Steel Private Limited shall comply with the all specific and general conditions stipulated in the Environment Clearance letter dated 11/12/2008 and 03/09/2012.
6. In case, there is a change in the scope of the project, fresh Environment Clearance shall be obtained.

This issues with the approval of the Competent Authority.

Yours faithfully,



(A.K. Agrawal)  
Director

**Copy to:-**

1. Secretary, Department of Environment, Government of West Bengal, Secretariat Kolkata.
2. Deputy Director General of Forests (Central), Ministry of Environment, Forest and Climate Change, Regional Office (EZ), A/3, Chandrasekharpur, Bhubneshwar-751 023.
3. Chairman, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex, East Arjun Nagar, Delhi-110032.
4. Chairman, West Bengal State Pollution Control Board, Paribesh Bhawan, 10A- Block LA, Sector -III, Salt Lake City, Kolkata - 700 098.
5. Member Secretary, Central Ground Water Authority, West Block -II, Wing -3, Sector I, R.K.Puram, New Delhi - 110086.
6. District Collector, Paschim Burdwan District, State of West Bengal.
7. Guard File / Record file / Monitoring file.
8. MOEF&CC Website.



(A.K. Agrawal)  
Director

# Annexure - 3



# ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB  
 Accredited by NABL (ISO/IEC 17025:2017)  
 Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001 : 2018



## TEST REPORT

FORMAT NO.: ENV/FM/38

Name of the Industry	: Eloquent Steel Pvt. Ltd. (Formerly Known as - Hira Concast Ltd.)	Type of Industry	: Ferro Alloy and SMS Unit		
Address	: Vill. - Nakrajoria, P.O. + P.S. - Salanpur, Dist. - PaschimBardhaman	Sampling Date	: 20.09.2021		
		Period of Analysis	: 23.09.2021 - 24.09.2021		
		Date of Issue	: 27.09.2021		
Sampling Plan & Procedure	: ENV/SOP/01	Deviation from the Sampling Method and Plan	: No	Type of Sample	: Stack Emission
Sample ID No.	: ENV/61A/Sep./A/I	Report No.	: ENV/61A/Sep./TR(A)/1/21-22		

### A. GENERAL INFORMATION ABOUT STACK PROVIDED BY THE INDUSTRY

Stack Attached to	: SEAF (No.1) (7.5 MVA)		
Shape of Stack	: Circular	Height of Stack (mtr.) (from G. L.)	: 36.0
Materials of Construction	: M.S.	Stack I.D. at sampling point (mtr.)	: 1.60
Capacity	: 7.5 MVA	Height of sampling port (mtr.) (from G.L.)	: 30.0
Emission Due to	: Reduction of Mn-Ore		
Fuel Used	: Electrically Operated	Permanent Platform & Ladder	: Yes
Working Fuel Consumption	: Nil		
Pollution Control Device	: Bag Filter		

### B. RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS
1.	Flue Gas Temperature	°C	IS : 11255 (Part 1)	: 91.0
2.	Barometric Pressure	mm of Hg.	--	: 755.0
3.	Velocity of Gas flow	m/s	IS : 11255 (Part 3)	: 9.8
4.	Quantity of Gas flow	Nm <sup>3</sup> /hr.	IS : 11255 (Part III)	: 57627.19
5.	Concentration of SO <sub>2</sub>	mg/Nm <sup>3</sup>	IS 11255 (Part 2) 1985 RA 2003	: 40.88
6.	Concentration of CO <sub>2</sub>	% (v/v)	IS 13270 1992 RA 2003	: 1.4
7.	Concentration of CO	%(v/v)	IS 13270 1992 RA 2003	: <1.0
8.	Concentration of Particulate Matter	mg/Nm <sup>3</sup>	IS 11255 (Part - 1) 1985 RA 2003 & ASTM D 3685/D 3685M-98 (reapproved 2005) : Sec. 11 (Vol. 3 11.07) : 2011	: 24.27

Remarks :

Reviewed By :

DURBADAL CHAKRABORTY  
Dy. Quality Manager

Approved By :

Dr. AJOY PAUL  
Quality Manager



# ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB  
 Accredited by NABL (ISO/IEC 17025:2017)  
 Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001 : 2018



## TEST REPORT

FORMAT NO. : ENV/FM/38

Name of the Industry	: Eloquent Steel Pvt. Ltd. (Formerly Known as - Hira Concast Ltd.)	Type of Industry	: Ferro Alloy and SMS Unit		
Address	: Vill. - Nakrajoria, P.O. + P.S. - Salanpur, Dist. - PaschimBardhaman	Sampling Date	: 20.09.2021		
		Period of Analysis	: 23.09.2021 - 24.09.2021		
		Date of Issue	: 27.09.2021		
Sampling Plan & Procedure	: ENV/SOP/01	Deviation from the Sampling Method and Plan	: No	Type of Sample	: Stack Emission
Sample ID No.	: ENV/61A/Sep./A/II	Report No.	: ENV/61A/Sep./TR(A)/II/21-22		

### A. GENERAL INFORMATION ABOUT STACK PROVIDED BY THE INDUSTRY

Stack Attached to	: SEAF (No.2) (5.5 MVA)		
Shape of Stack	: Circular	Height of Stack (mtr.) (from G. L.)	: 36.0
Materials of Construction	: M.S.	Stack I.D. at sampling point (mtr.)	: 2.0
Capacity	: 5.5 MVA	Height of sampling port (mtr.) (from G.L.)	: 30.0
Emission Due to	: Reduction of Mn-Ore		
Fuel Used	: Electrically Operated	Permanent Platform & Ladder	: Yes
Working Fuel Consumption	: Nil		
Pollution Control Device	: Bag Filter		

### B. RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS
1.	Flue Gas Temperature	°C	IS : 11255 (Part 1)	: 87.0
2.	Barometric Pressure	mm of Hg.	--	: 755.0
3.	Velocity of Gas flow	m/s	IS : 11255 (Part 3)	: 8.89
4.	Quantity of Gas flow	Nm <sup>3</sup> /hr.	IS : 11255 (Part III)	: 82605.39
5.	Concentration of SO <sub>2</sub>	mg/Nm <sup>3</sup>	IS 11255 (Part 2) 1985 RA 2003	: 43.26
6.	Concentration of CO <sub>2</sub>	% (v/v)	IS 13270 1992 RA 2003	: 1.0
7.	Concentration of CO	%(v/v)	IS 13270 1992 RA 2003	: <1.0
8.	Concentration of Particulate Matter	mg/Nm <sup>3</sup>	IS 11255 (Part - 1) 1985 RA 2003 & ASTM D 3685/D 3685M-98 (reapproved 2005) : Sec. 11 (Vol. 3 11.07) : 2011	: 19.24

Remarks :

Reviewed By :

DURBADAL CHAKRABORTY  
Dy. Quality Manager

Approved By :

Dr. AJAY PAUL  
Quality Manager

# Annexure - 4





# ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB  
Accredited by NABL (ISO/IEC 17025:2017)  
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001 : 2018



## TEST REPORT

FORMAT NO : ENV/FM/37

Name of the Industry	: Eloquent Steel Pvt. Ltd. (Formerly Known as - Hira Concast Ltd.)	Type of Industry	: Ferro Alloy and SMS Unit		
Address	: Vill. - Nakrajoria, P.O. + P.S. - Salanpur, Dist. - PaschimBardhaman	Sampling Date	: 20.09.2021 - 21.09.2021		
		Period of Analysis	: 23.09.2021 - 24.09.2021		
		Date of Issue	: 27.09.2021		
Sampling Plan & Procedure	: ENV/SOP/01	Deviation from the Sampling Method and Plan	: No	Type of Sample	: Ambient Air
Sample ID No.	: ENV/61A/Sep./A/III	Report No.	: ENV/61A/Sep./TR(A)/III/21-22		

### A] GENERAL INFORMATION

1. Location of Sampling : Near Administrative Buildings
2. Duration of Sampling : 24 hrs. (09:00 a.m. - 09:00 a.m.)

### B] METEOROLOGICAL INFORMATION

1. Average Temperature (°C) : 26.0
2. Average Relative Humidity (%) : 70.0
3. Barometric Pressure (mm of Hg) : 755.0
4. Smell or Odour : No Remarkable Smell
5. Weather Condition : Clear sky

### C] RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS
1.	Concentration of PM <sub>2.5</sub>	µg/m <sup>3</sup>	USEPA 1997a, 40 CFR Part 50, Appendix L : 2006	53.86
2.	Concentration of PM <sub>10</sub>	µg/m <sup>3</sup>	IS 5182 (PART 23) : 2006	86.20
3.	Concentration of SO <sub>2</sub>	µg/m <sup>3</sup>	IS 5182 (Part 2) 2001 & ASTM D 2914-01 reapproved 2007: Sec. 11 (Vol. 11.07) : 2011	12.38
4.	Concentration of NO <sub>2</sub>	µg/m <sup>3</sup>	IS 5182 (Part 6) 2006 & ASTM D 1607-91 reapproved 2005 : Sec. 11 (Vol. 11.07) : 2011	36.15
5.	Concentration of CO	mg/m <sup>3</sup>	IS 5182 (Part 10): 1999 reaffirmed 2005 & ASTM D 3162-94 reapproved 2005 : Sec. 11 (Vol. 11.07) : 2011	0.42
6.	Concentration of Pb	µg/m <sup>3</sup>	IS 5182 (Part 22) 2004	<0.01
7.	Benzo (a) Pyrene (BaP)	ng/m <sup>3</sup>	IS 5182 (Part 12) : 2004 & ASTM D 6209-98 reapproved 2004 : Sec. 11 (Vol. 11.07) : 2011	<0.36
8.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	IS 5182 (Part 11) 2006 & ASTM D 5466-01 reapproved 2007 : Sec. 11 (Vol. 11.07) : 2011	<0.74
9.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	IS 5182 (Part-IX) : 1974	<10.0
10.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	NIOSH Manual of Analytical Method, 4 <sup>th</sup> Edition 1994, Method 6015, issue 2	<4.18
11.	Nickel (Ni)	ng/m <sup>3</sup>	EPA IO 3.2, 1999	<0.02
12.	Arsenic (As)	ng/m <sup>3</sup>	EPA IO 3.2, 1999, APHA 23 <sup>rd</sup> Ed 3114C : 2017	<0.01

Remarks :

Reviewed By :

DURBADAL CHAKRABORTY  
Dy. Quality Manager

Approved By :

Dr. AJOY PAUL  
Quality Manager



# ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB  
Accredited by NABL (ISO/IEC 17025:2017)  
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001 : 2018



## TEST REPORT

FORMAT NO : ENV/FM/37

Name of the Industry	: Eloquent Steel Pvt. Ltd.	Type of Industry	: Ferro Alloy and SMS Unit		
Address	: Vill. - Nakrajoria, P.O. + P.S. - Salanpur, Dist. - PaschimBardhaman	Sampling Date	: 20.09.2021 - 21.09.2021		
		Period of Analysis	: 23.09.2021 - 24.09.2021		
		Date of Issue	: 27.09.2021		
Sampling Plan & Procedure	: ENV/SOP/01	Deviation from the Sampling Method and Plan	: No	Type of Sample	: Ambient Air
Sample ID No.	: ENV/61A/Sep./A/IV	Report No.	: ENV/61A/Sep./TR(A)/IV/21-22		

### A] GENERAL INFORMATION

1. Location of Sampling : Near Main Gate (Common Entrance for Hira Concast Ltd. and Impex Steel Ltd.)
2. Duration of Sampling : 24 hrs. (10:00 a.m. - 10:00 a.m.)

### B] METEOROLOGICAL INFORMATION

1. Average Temperature (°C) : 26.0
2. Average Relative Humidity (%) : 70.0
3. Barometric Pressure (mm of Hg) : 755.0
4. Smell or Odour : No Remarkable Smell
5. Weather Condition : Clear sky

### C] RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS
1.	Concentration of PM <sub>2.5</sub>	µg/m <sup>3</sup>	USEPA 1997a, 40 CFR Part 50, Appendix L	49.53
2.	Concentration of PM <sub>10</sub>	µg/m <sup>3</sup>	IS 5182 (PART 23) : 2006	82.60
3.	Concentration of SO <sub>2</sub>	µg/m <sup>3</sup>	IS 5182 (Part 2) 2001 & ASTM D 2914-01 reapproved 2007: Sec. 11 (Vol. 11.07) : 2011	11.76
4.	Concentration of NO <sub>2</sub>	µg/m <sup>3</sup>	IS 5182 (Part 6) 2006 & ASTM D 1607-91 reapproved 2005 : Sec. 11 (Vol. 11.07) : 2011	29.50

Remarks :

Reviewed By :

DURBADAL CHAKRABORTY  
Dy. Quality Manager

Approved By :

Dr. AJAY PAUL  
Quality Manager



# ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB  
Accredited by NABL (ISO/IEC 17025:2017)  
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001 : 2018



## TEST REPORT

FORMAT NO : ENV/FM/37

Name of the Industry	: Eloquent Steel Pvt. Ltd. (Formerly Known as - Hira Concast Ltd.)	Type of Industry	: Ferro Alloy and SMS Unit		
Address	: Vill. - Nakrajoria, P.O. + P.S. - Salanpur, Dist. - PaschimBardhaman	Sampling Date	: 20.09.2021 - 21.09.2021		
		Period of Analysis	: 23.09.2021 - 24.09.2021		
		Date of Issue	: 27.09.2021		
Sampling Plan & Procedure	: ENV/SOP/01	Deviation from the Sampling Method and Plan	: No	Type of Sample	: Ambient Air
Sample ID No.	: ENV/61A/Sep./A/V	Report No.	: ENV/61A/Sep./TR(A)/V/21-22		

### A] GENERAL INFORMATION

1. Location of Sampling : Near DVC Meter Room (Back Side of Plant)
2. Duration of Sampling : 24 hrs. (10:30 a.m. - 10:30 a.m.)

### B] METEOROLOGICAL INFORMATION

1. Average Temperature (°C) : 26.0
2. Average Relative Humidity (%) : 70.0
3. Barometric Pressure (mm of Hg) : 755.0
4. Smell or Odour : No Remarkable Smell
5. Weather Condition : Clear sky

### C] RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS
1.	Concentration of PM <sub>2.5</sub>	µg/m <sup>3</sup>	USEPA 1997a, 40 CFR Part 50, Appendix L	48.23
2.	Concentration of PM <sub>10</sub>	µg/m <sup>3</sup>	IS 5182 (PART 23) : 2006	86.06
3.	Concentration of SO <sub>2</sub>	µg/m <sup>3</sup>	IS 5182 (Part 2) 2001 & ASTM D 2914-01 reapproved 2007: Sec. 11 (Vol. 11.07) : 2011	7.84
4.	Concentration of NO <sub>2</sub>	µg/m <sup>3</sup>	IS 5182 (Part 6) 2006 & ASTM D 1607-91 reapproved 2005 : Sec. 11 (Vol. 11.07) : 2011	26.52

Remarks :

Reviewed By :

DURBADAL CHAKRABORTY  
Dy. Quality Manager

Approved By :

Dr. AJOY PAUL  
Quality Manager



# ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB  
Accredited by NABL (ISO/IEC 17025:2017)  
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001 : 2018



## TEST REPORT

FORMAT NO : ENV/FM/37

Name of the Industry	: Eloquent Steel Pvt. Ltd. (Formerly Known as - Hira Concast Ltd.)	Type of Industry	: Ferro Alloy and SMS Unit		
Address	: Vill. - Nakrajoria, P.O. + P.S. - Salanpur, Dist. - PaschimBardhaman	Sampling Date	: 20.09.2021 - 21.09.2021		
		Period of Analysis	: 23.09.2021 - 24.09.2021		
		Date of Issue	: 27.09.2021		
Sampling Plan & Procedure	: ENV/SOP/01	Deviation from the Sampling Method and Plan	: No	Type of Sample	: Ambient Air
Sample ID No.	: ENV/61A/Sep./A/VI	Report No.	: ENV/61A/Sep./TR(A)/VI/21-22		

### A] GENERAL INFORMATION

1. Location of Sampling : Dendua Village (1.0 km. distance from Plant)
2. Duration of Sampling : 24 hrs. (11:00 a.m. - 11:00 p.m.)

### B] METEOROLOGICAL INFORMATION

1. Average Temperature (°C) : 25.0
2. Average Relative Humidity (%) : 68.0
3. Barometric Pressure (mm of Hg) : 755.0
4. Smell or Odour : No Remarkable Smell
5. Weather Condition : Clear sky

### C] RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS
1.	Concentration of PM <sub>2.5</sub>	µg/m <sup>3</sup>	USEPA 1997a, 40 CFR Part 50, Appendix L	46.47
2.	Concentration of PM <sub>10</sub>	µg/m <sup>3</sup>	IS 5182 (PART 23) : 2006	79.83
3.	Concentration of SO <sub>2</sub>	µg/m <sup>3</sup>	IS 5182 (Part 2) 2001 & ASTM D 2914-01 reapproved 2007: Sec. 11 (Vol. 11.07) : 2011	6.80
4.	Concentration of NO <sub>2</sub>	µg/m <sup>3</sup>	IS 5182 (Part 6) 2006 & ASTM D 1607-91 reapproved 2005 : Sec 11 (Vol. 11.07) : 2011	26.52

Remarks :

Reviewed By :

DURBADAL CHAKRABORTY  
Dy. Quality Manager

Approved By :

Dr. AJOY PAUL  
Quality Manager

# Annexure - 5



# ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB  
Accredited by NABL (ISO/IEC 17025:2017)  
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001 : 2018



## TEST REPORT

FORMAT NO.: ENV/FM/57

Name of the Industry	: Eloquent Steel Pvt. Ltd. (Formerly Known as - Hira Concast Ltd.)	Type of Industry	: Ferro Alloy and SMS Unit		
Address	: Vill. - Nakrajoria, P.O. + P.S. - Salanpur, Dist. - PaschimBardhaman	Sampling Date	: 20.09.2021		
		Period of Analysis	: 23.09.2021 - 24.09.2021		
		Date of Issue	: 27.09.2021		
Sampling Plan & Procedure	: ENV/SOP/01	Deviation from the Sampling Method and Plan	: No	Type of Sample	: Work Zone
Sample ID No.	: ENV/61A/Sep./A/VII	Report No.	: ENV/61A/Sep./TR(A)/VII/21-22		

### A] GENERAL INFORMATION

1. Location of Sampling : Inside the Raw Materials Storage Yard
2. Duration of Sampling : 08 hrs. (10:30 a.m. - 06:30 p.m.)

### B] METEOROLOGICAL INFORMATION

1. Average Temperature (°C) : 32.0
2. Average Relative Humidity (%) : 69.0
3. Barometric Pressure (mm of Hg) : 755.0
4. Smell or Odour : No Remarkable Smell

### C] RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS
1.	Concentration of SPM	µg/m <sup>3</sup>	NIOSH 0500 : 2005	490.12

Remarks :

Reviewed By :

DURBADAL CHAKRABORTY  
Dy. Quality Manager

Approved By :

Dr. AJOY PAUL  
Quality Manager



# ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB  
Accredited by NABL (ISO/IEC 17025:2017)  
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001 : 2018



## TEST REPORT

FORMAT NO.: ENV/FM/57

Name of the Industry	: Eloquent Steel Pvt. Ltd. (Formerly Known as - Hira Concast Ltd.)	Type of Industry	: Ferro Alloy and SMS Unit		
Address	: Vill. - Nakrajoria, P.O. + P.S. - Salanpur, Dist. - PaschimBardhaman	Sampling Date	: 20.09.2021		
		Period of Analysis	: 23.09.2021 - 24.09.2021		
		Date of Issue	: 27.09.2021		
Sampling Plan & Procedure	: ENV/SOP/01	Deviation from the Sampling Method and Plan	: No	Type of Sample	: Work Zone
Sample ID No.	: ENV/61A/Sep./A/VII	Report No.	: ENV/61A/Sep./TR(A)/VII/21-22		

### A] GENERAL INFORMATION

1. Location of Sampling : Inside the Raw Materials Storage Yard
2. Duration of Sampling : 08 hrs. (10:30 a.m. - 06:30 p.m.)

### B] METEOROLOGICAL INFORMATION

1. Average Temperature (°C) : 32.0
2. Average Relative Humidity (%) : 69.0
3. Barometric Pressure (mm of Hg) : 755.0
4. Smell or Odour : No Remarkable Smell

### C] RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS
1.	Concentration of SO <sub>2</sub>	µg/m <sup>3</sup>	IS 5182 (Part 2) 2001 & ASTM D 2914-01 reapproved 2007: Sec. 11 (Vol. 11.07) : 2011	11.80
2.	Concentration of NO <sub>2</sub>	µg/m <sup>3</sup>	IS 5182 (Part 6) 2006 & ASTM D 1607-91 reapproved 2005 : Sec. 11 (Vol. 11.07) : 2011	31.56

Remarks :

Reviewed By :

DURBADAL CHAKRABORTY  
Dy. Quality Manager

Approved By :

Dr. AJOY PAUL  
Quality Manager



# ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB  
Accredited by NABL (ISO/IEC 17025:2017)  
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001 : 2018



## TEST REPORT

FORMAT NO. : ENV/FM/57

Name of the Industry	: Eloquent Steel Pvt. Ltd. (Formerly Known as - Hira Concast Ltd.)	Type of Industry	: Ferro Alloy and SMS Unit		
Address	: Vill. - Nakrajoria, P.O. + P.S. - Salanpur, Dist. - PaschimBardhaman	Sampling Date	: 20.09.2021		
		Period of Analysis	: 23.09.2021 - 24.09.2021		
		Date of Issue	: 27.09.2021		
Sampling Plan & Procedure	: ENV/SOP/01	Deviation from the Sampling Method and Plan	: No	Type of Sample	: Work Zone
Sample ID No.	: ENV/61A/Sep./A/VIII	Report No.	: ENV/61A/Sep./TR(A)/VIII/21-22		

### A] GENERAL INFORMATION

1. Location of Sampling : Inside the Ferro Alloy Plant
2. Duration of Sampling : 08 hrs. (10:30 a.m. - 10:30 p.m.)

### B] METEOROLOGICAL INFORMATION

1. Average Temperature (°C) : 34.0
2. Average Relative Humidity (%) : 72.0
3. Barometric Pressure (mm of Hg) : 755.0
4. Smell or Odour : No Remarkable Smell

### C] RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS
1.	Concentration of SPM	µg/m <sup>3</sup>	NIOSH 0500 : 2005	486.28

Remarks :

Reviewed By :

DURBADAL CHAKRABORTY  
Dy. Quality Manager

Approved By :

Dr. AJOY PAUL  
Quality Manager





# ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB  
Accredited by NABL (ISO/IEC 17025:2017)  
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001 : 2018



## TEST REPORT

FORMAT NO.: ENV/FM/57

Name of the Industry	: Eloquent Steel Pvt. Ltd. (Formerly Known as - Hira Concast Ltd.)	Type of Industry	: Ferro Alloy and SMS Unit		
Address	: Vill. - Nakrajoria, P.O. + P.S. - Salanpur, Dist. - PaschimBardhaman	Sampling Date	: 20.09.2021		
		Period of Analysis	: 23.09.2021 - 24.09.2021		
		Date of Issue	: 27.09.2021		
Sampling Plan & Procedure	: ENV/SOP/01	Deviation from the Sampling Method and Plan	: No	Type of Sample	: Work Zone
Sample ID No.	: ENV/61A/Sep./A/VIII	Report No.	: ENV/61A/Sep./TR(A)/VIII/21-22		

### A] GENERAL INFORMATION

1. Location of Sampling : Inside the Ferro Alloy Plant
2. Duration of Sampling : 08 hrs. (10:30 a.m. - 10:30 p.m.)

### B] METEOROLOGICAL INFORMATION

1. Average Temperature (°C) : 34.0
2. Average Relative Humidity (%) : 72.0
3. Barometric Pressure (mm of Hg) : 755.0
4. Smell or Odour : No Remarkable Smell

### C] RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS
1.	Concentration of SO <sub>2</sub>	µg/m <sup>3</sup>	IS 5182 (Part 2) 2001 & ASTM D 2914-01 reapproved 2007: Sec. 11 (Vol. 11.07) : 2011	9.50
2.	Concentration of NO <sub>2</sub>	µg/m <sup>3</sup>	IS 5182 (Part 6) 2006 & ASTM D 1607-91 reapproved 2005 : Sec. 11 (Vol. 11.07) : 2011	28.80

Remarks :

Reviewed By :

DURBADAL CHAKRABORTY  
Dy. Quality Manager

Approved By :

Dr. AJOY PAUL  
Quality Manager

# Annexure - 6



# ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB  
Accredited by NABL (ISO/IEC 17025:2017)  
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001 : 2018



**FORMAT NO. ENV/FM/40**

## TEST REPORT

Name of the Industry	:	Eloquent Steel Pvt. Ltd. (Formerly Known as - Hira Concast Ltd.)	Type of Industry	:	Ferro Alloy and SMS Unit
Address	:	Vill. - Nakrajoria, P.O. + P.S. - Salanpur, Dist. - Paschim Bardhaman	Sampling Date	:	20.09.2021
			Period of Analysis	:	22.09.2021 - 27.09.2021
			Date of Issue	:	28.09.2021
Sampling Plan & Procedure	:	ENV/SOP/01	Deviation from the Sampling Method and Plan	:	No
			Type of Sample	:	Industrial Effluent Water (Grab)
Location	:	Cooling Water Storage Tank	Sample ID No.	:	ENV/579A/March/W
			Report No.	:	ENV/579A/March/TR(W)/21-22

SL. NO.	PARAMETERS	TEST METHOD	UNIT	RESULTS
1.	pH value	4500H+B APHA 23 <sup>rd</sup> Edition, 2017	-	6.90
2.	Total Suspended Solids	2540 D APHA 23 <sup>rd</sup> Edition, 2017	mg/l	12.0
3.	Oil & Grease	5520 Oil B/D APHA 23 <sup>rd</sup> Edition, 2017	mg/l	<1.0
4.	Chemical Oxygen Demand	5200 COD B/C/D APHA 23 <sup>rd</sup> Edition, 2017	mg/l	20.0
5.	Biochemical Oxygen Demand for 3 days at 27°C	5210 BOD B APHA 23 <sup>rd</sup> Edition, 2017	mg/l	4.0

Reviewed By :

**DURBADAL CHAKRABORTY**  
Dy. Quality Manager

Approved By :

**Dr. AJOY PAUL**  
Quality Manager

# Annexure - 7



# ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB  
 Accredited by NABL (ISO/IEC 17025:2017)  
 Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001 : 2018



FORMAT NO. ENV/FM/40

## TEST REPORT

Name of the Industry	: Eloquent Steel Pvt. Ltd.	Type of Industry	: Steel & Power Unit		
Address	: Vill. – Nakrajoria, P.O. + P.S. – Salanpur, Dist. – Paschim Bardhaman	Sampling Date	: 21.09.2021		
		Period of Analysis	: 23.09.2021 – 27.09.2021		
		Date of Issue	: 29.09.2021		
Sampling Plan & Procedure	: ENV/SOP/01	Deviation from the Sampling Method and Plan	: No	Type of Sample	: Surface Water
Location	: Rain Water Harvesting Reservoir	Sample ID No.	: ENV/580C/W/M	Report No.	: ENV/580C/W/M/21-22

SL. NO.	PARAMETERS	TEST METHOD	UNIT	RESULTS
1.	pH	APHA 23 <sup>rd</sup> Ed., 4500 H+B : 2017	-	7.50
2.	Total Suspended Solids	APHA 23 <sup>rd</sup> Ed., 2540 D : 2017	mg/l	25.0
3.	Total Dissolved Solids	IS 3025 (Part 16) : 1984 : 2014	mg/l	230.0
4.	Dissolved Oxygen	APHA 23 <sup>rd</sup> Ed., 4500 – OC : 2017	mg/l	7.40
5.	COD	APHA 23 <sup>rd</sup> Ed., 5220 B/C/D : 2017	mg/l	13.02
6.	BOD [3 Day's at 27°C]	APHA 23 <sup>rd</sup> Ed., 5210 B : 2017	mg/l	4.0
7.	Oil & Grease	APHA 23 <sup>rd</sup> Ed., 5520 B/D/ : 2017	mg/l	<1.0
8.	Residual Chlorine	APHA 23 <sup>rd</sup> Ed., Cl-B : 2017	mg/l	<0.04
9.	Chloride	APHA 23 <sup>rd</sup> Ed., 4500 Cl-B/D : 2017	mg/l	9.68
10.	Iron	APHA 23 <sup>rd</sup> Ed., 3111 B : 2017	mg/l	0.32
11.	Arsenic	APHA 23 <sup>rd</sup> Ed., 3114 B : 2017	mg/l	<0.01
12.	Lead	APHA 23 <sup>rd</sup> Ed., 3111 B : 2017	mg/l	<0.005
13.	Mercury	APHA 23 <sup>rd</sup> Ed., 3112 B : 2017	mg/l	<0.001
14.	Copper	APHA 23 <sup>rd</sup> Ed., 3111 B : 2017	mg/l	<0.04
15.	Dissolve Phosphate	APHA 23 <sup>rd</sup> Ed., 4500-P D/F : 2017	mg/l	0.68
16.	Zinc	APHA 23 <sup>rd</sup> Ed., 3111 B : 2017	mg/l	0.26
17.	Total Chromium	APHA 23 <sup>rd</sup> Ed., 3111 B : 2017	mg/l	<0.02

Reviewed By :

DURBADAL CHAKRABORTY  
Dy. Quality Manager

Approved By :

Dr. AJOY PAUL  
Quality Manager

# Annexure - 8

# PLANTATION WITH INDIGENOUS SPECIES













# Annexure - 9

# WEST BENGAL POLLUTION CONTROL BOARD

'Paribesh Bhawan'  
Bldg. No. - 10A, Block - LA, Sector-III  
Salt Lake City, Kolkata-700 098



Consent Letter Number : CO110122

apply for renewal of  
consent 60 (Sixty) days  
before expiry

Memo Number : 1534 - WPPB/Regd (Bmn)/con-(591)/08

Date : 28/06/18

## Consent to Operate

under

Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974 and  
Section 21 of the Air (Prevention and Control of Pollution) Act, 1981

The West Bengal Pollution Control Board (hereinafter referred to as State Board) under the provisions of Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974, as amended and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended and Rules and Orders made thereunder, hereby grants its consent to :

M/s Eloquent Steel Pvt Ltd. (Formerly known as  
M/s Hira Concast Ltd) (Address of Regd. office/Head/Office/City Office)

(hereinafter referred to as Applicant) for its unit located at Vill. - Nakrajaria  
P.O. & P.S. - Soranpur, Dist - Paschim Bardhaman

(Detailed address of the manufacturing unit)

for a period from up to 30.04.2023

to operate the industrial unit and to discharge liquid effluent and to emit gaseous effluent from the premises/land of the industrial unit, in accordance with the conditions as mentioned in the Annexure to this consent letter provided on any day at any instance the quantity and quality of liquid discharge and gaseous emission shall not exceed the permissible limit as specified in the Table I & II of this consent letter and in the Environmental (Protection) Act, 1986.

Breach of the conditions and / or failure to comply with the directions as set out in the Annexure shall render the applicant liable for prosecution under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981.

The State Board reserve the right to revoke, withdraw or make any reasonable variation / change / alter the conditions of this consent letter giving one month's notice to the applicant.



For and on behalf of the State Board

(Member Secretary/Chief Engr./ Sr. Env. Engr. / Env. Engr. / Asst. Env. Engr.)

28/06/18

(2)

ANNEXURE

Consent to M/s. Eloquent Steel Pvt. Ltd. (Formerly known as m/s. Hiron Concast Ltd)  
its unit at vill. - Nokrajonia  
P.O. + P.S. - Salanpur, Dist - Paschim Bardhaman

**Conditions :**

This Consent is valid for the manufacture of :-

Sl. No.	Name of major products and by-products	Quantity manufactured per month
01	Ferro Manganese	2296 MT
02	Silico Manganese	1728 MT
03	M.S. Ingot	4417 MT
04		
05		
06		
07		
08		
09		
10		
11		
12		

- The Applicant shall remain responsible for quantity and quality of liquid effluent and air emissions.
- Daily discharge of industrial liquid effluent shall not exceed ..... KL.
- Daily discharge of domestic liquid effluent shall not exceed 4.0 ..... KL.
- Daily discharge of mixed (industrial & domestic) liquid effluent shall not exceed ..... KL.
- The Applicant shall discharge liquid effluent to Soak pit ..... (place of discharge)  
through 01 ..... nos. outlets / outfalls.
- To bring into any altered or new outlet/outfall or to change the place of discharge, the Applicant shall have to inform the Board and obtain prior permission of the Board in this effect.
- The Applicant shall provide comprehensive facility for treatment of industrial liquid waste and domestic liquid waste (sewage, sullage and liquid effluent generated from canteen), and operate and maintain the same continuously so that the quality of final effluent conforms to the Standard as given in Table-I in page 03.

(Member Secretary/Chief Engr./ Sr. Env. Engr. / Env. Engr. / Asst. Env. Engr.)

Continued.....



Consent to <sup>(4)</sup> M/s Eloquent Steel Pvt. Ltd (Formerly known as M/s Hira Concast. Ltd.) Vill. - Nakrajoria P.O. + P.S. - Salampur, Dist - Paschim Bardhaman

11. The Applicant shall install suitable device for measuring the volume of water consumed for different purposes as mentioned above giving correct result to the satisfaction of the State Board.
12. All the stacks connected to various sources of emissions must be designated by numbers such as S-1, S-2, S-3, etc., and this must be painted/displayed to facilitate identification.
13. The Applicant shall install comprehensive control system consisting of pollution control equipment as is warranted with reference to generation of air emissions and operate and maintain the same continuously so as to achieve the level of pollutants of the Standard as given in Table-II below :

Table-II

Stack No.	Stack height from G.L., (in mts.)	Stack attached to (sources and control system, if any):	Volume Nm <sup>3</sup> /hr.	Velocity of gas emission m/sec	Concentrations of parameters not to exceed				Frequency of emission sampling
					SPM (mg/Nm <sup>3</sup> )	CO (%v/v)			
S-1	30	SEAF (1x5.5MVA)		—	100	—	—	—	Half yearly
S-2	30	SEAF (1x7.5MVA)		—	100	—	—	—	Do -
S-3	30	02 Nos. Induction Furnace (2x7MT/charge)		—	150	—	—	—	Yearly
S-4	7	01 No. D.G. Set (250 KVA)		—	150	—	—	—	Do -
S-5									
S-6									
S-7									
S-8									
S-9									
S-10									



(5)

Consent to M/s. Eloquent Steel Pvt. Ltd. (Formerly known as M/s. Hira  
Concast Ltd.) Vill. - Nakrajoria

for its unit at P.O. + P.S. - Salanpur, Dist. - Paschim Bardhaman

14. The Applicant shall provide ports in the stack(s) and other necessary permanent facilities such as ladder, platform, etc. for monitoring/sampling the air emissions and the same shall be made available for inspection and use by the State Board's staff as well as State Board's authorised agencies.

15. The Applicant shall observe the following fuel consumption pattern :-

Sl. No	Type of fuel	Quantity consumed per day	Fuel burning operation where the fuel is used
01			
02			
03			
04			
05			

16. The Applicant shall maintain the generation and treatment/disposal of non-hazardous solid waste as specified below :-

Type of waste	Quantity	Treatment	Disposal
Fe-Mn Slag	2152 MT/month	—	Used in Si-Mn production
Sl-Mn Slag	1900 MT/month	—	Road development

17. The Applicant shall take adequate measures for control of noise levels from its own sources within the premises within the limit given below :-

Time	Limit in dB(A) $L_{eq}$
Day Time (06 a.m. to 09 p.m.)	65
Night Time (09 p.m. to 06 a.m.)	55

18. The Applicant shall at all times maintain good house-keeping, proper working order, and operate efficiently for control of pollution from all sources so as not to cause nuisance to surrounding areas/inhabitants and to achieve compliance with the terms and conditions of the consent.

19. The Applicant shall bring about at least 33% of the available open land under the green coverage / plantation.

20. The Applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the Applicant to maintain compliance with the terms and conditions of the consent. In absence of such an alternate electric power source, the Applicant shall stop, reduce or otherwise control production to abide by the terms and conditions of the Consent regarding pollution level.

21. The Applicant shall install a separate energy meter showing the consumption of energy for operation of pollution control devices.

22. The Applicant shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.

23. The Applicant shall provide drainage system for conveying industrial and domestic liquid waste. Storm-water drain shall be kept separate from the drainage system meant for industrial and domestic liquid waste

(Member Secretary/Chief Engr./ Sr. Env. Engr. / Env. Engr. / Asst. Env. Engr.)

Continued.....

(6)

Consent to M/s. Eloquent Steel Pvt. Ltd. (Formerly known as M/s. Hira  
Concast Ltd.)  
for its unit at Vill. - Nakrajaria  
P.O. + P.S. - Salanpur, Dist. - Paschim Bardhaman

24. The *Applicant* shall maintain a separate register showing consumption of chemicals used in pollution control systems.
25. The *Applicant* shall get the samples of hazardous wastes/leachates analysed at least once in ..... from the laboratory recognised of the West Bengal Pollution Control Board and ensure that they conform to the limits stipulated. Test reports shall be sent to the Board.
26. The *Applicant* shall provide adequate and safe facility for collection of air, waste water and solid waste samples by the *State Board's* staff as well as *State Board's* authorised agencies.
27. The *Applicant* shall submit to the *State Board* by the 30th September of every year the Environmental Statement Report for the financial year ending 31st March of the current year in the prescribed form (Form -V) as required under the provisions of rule 14 of the Environment (Protection) [Second Amendment] rules, 1992.
28. The *Applicant* shall allow the Officers of the *State Board* to enter into the applicant's premises at any reasonable time to inspect the pollution control systems as well as monitoring and measuring devices in connection with prevention & control of pollution.
29. The *Applicant* shall maintain an Inspection Book in the factory premises which shall be made available to Officers & employees of the *State Board* for inspection, review and to write down any direction or observation as is deemed necessary during the inspection from time to time.
30. The *Applicant* shall furnish to the *State Board* all information in respect of quality, quantity, rate of discharge, place of discharge of liquid effluent and air emissions.
31. The *Applicant* shall maintain adequate number of qualified and trained personnel among his staff for proper maintenance and operation of the effluent treatment and / or emission control devices and for overall environment management of the industry.
32. The *Applicant* shall have to make registration for the use of groundwater if any, with Central Ground Water Authority.
33. The *Applicant* shall intimate to the *State Board* immediately of any occurrence or apprehension of occurrence of discharge of any poisonous, noxious or pollutants in excess of quality as well as quality as mentioned earlier to any receiving water body/receiving system or to atmosphere owing to accident or other unforeseen incident/event including natural disaster. The *Applicant* Shall (i) take all steps adequate to prevent such accident discharge/release of poisonous, noxious or pollutants and to limit their consequences to persons and the environment, (ii) provide to the persons working on the site with the information, training and equipment including antidotes necessary to ensure their safety and mitigate the accidental release of poisonous noxious or pollutants to the environment.
34. The *Applicant* shall make an application to the *State Board* in the prescribed form for renewal of the consent at least 60 (sixty) days before the date of expiry of this Consent.
35. The *Applicant* shall not make any alternation/modification/expansion in the existing manufacturing process and equipment as well as the pollution control system without prior approval of the Board.
36. The *Applicant* shall comply with the conditions as laid down in the Manufacture, Storage and Import of hazardous Chemicals Rules, 1989 and Hazardous Wastes (Management & Handling) Rules, 1989.

Additional Conditions

21/10/89



## WEST BENGAL POLLUTION CONTROL BOARD

Asansol Regional Office  
ADDA Commercial Market, 2<sup>nd</sup> Floor,  
Opp. Asansol Fire Station, G. T. Road,  
Asansol, Paschim Bardhaman -713 301  
☎ : 091 (0341) 2305407/8,  
🌐 : [www.wbpcb.gov.in](http://www.wbpcb.gov.in)

Memo No. 389 - WPBA/Red (Bwn)/Cont (591)/08

Date: 26/08/2020.

To  
M/s. Eloquent Steel Private Limited  
(Formerly M/s. Impex Steel Ltd & M/s. Hira Concast Ltd.)  
VIII - Nakrajoria, P.O. & P.S. Salanpur, Dist - Paschim Bardhaman.  
Pin - 713357

Sub: Amendment of 'Consent to Operate' Regarding

Reference:

- Your application for amendment of 'Consent to Operate' dated 08.06.2020.
- Letter issued by the State Board for "No Increase In Pollution Load" Vide Memo No. 124-2N-29/2019(E) PT dated 05.03.2020.
- 'Consent to Operate' issued vide Memo No. 1534-WPBA/Red (Bwn)/Cont(591)/08 dated 28.06.2018 (CO110122).
- 'Consent to Operate' issued vide Memo No. 1530-WPBA/Red (Bwn)/Cont(581)/07 dated 28.06.2018 (CO110124).

Sir,

With reference to as stated above, 'Consent to Operate' for manufacturing Ferro Silicon, High Carbon Ferro Chrome and Ferro Silico Chrome along with Ferro Manganese and Silico Manganese in your existing 04(Four) nos. Sub Merged Electric Arc Furnaces of capacity 3 x 7.5 MVA and 1 x 5.5 MVA are hereby amended, subjected to the conditions as mentioned below:

- Combined capacity of manufacturing Ferro Silicon, High Carbon Ferro Chrome and Ferro Silico Chrome along with Ferro Manganese and Silico Manganese must be within sanctioned capacity i.e. 4921 Ton/month. The major product and permissible production capacity is given below:

Sl No.	Name of major Product	Production capacity as per CTO Nos. CO110122 & CO110124	Production capacity amended as
1	Ferro Manganese	4921 Ton / month OR	4921 Ton / month OR
2	Silico Manganese	3603 Ton / month OR	3603 Ton / month OR
3	Ferro Silicon	Nil	1890 Ton / month OR
4	High Carbon Ferro Chrome	Nil	4921 Ton / month OR
5	Ferro Silico Chrome	Nil	2790 Ton / month
6	M.S.Ingot	8834 Ton/month	8834 Ton/month

- No additional machinery including Chrome Recovery Plant to be installed without prior permission from State Board.
- Chrome ore must be stored in a secured place.
- Precautionary measures should be taken to avoid contamination of water and other environmental hazards from Chromium.
- Chrome Slag must be stored in a secured place and processed in a Chrome Recovery Plant. After chrome recovery from Ferro Chrome Slag, slag dust must be utilized for brick manufacturing (as proposed).

All other conditions mentioned in the 'Consent to Operate' will remain unchanged.

This letter may be considered as an annexure to 'Consent to Operate' issued vide Memo No. 1534-WPBA/Red (Bwn)/Cont(591)/08 dated 28.06.2018 (CO110122) & vide Memo No. 1530-WPBA/Red (Bwn)/Cont(581)/07 dated 28.06.2018 (CO110124).

  
Senior Environmental Engineer  
Asansol Regional Office.

26.08.2020

# Annexure – 10A



# ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB  
Accredited by NABL (ISO/IEC 17025:2017)  
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001 : 2018



## NOISE MONITORING REPORT

**Eloquent Steel Pvt. Ltd. (Formerly Known as – Hira Concast Ltd.)**  
**Vill. – Nakrajoria, P.O + P.S – Salanpur, District – Paschim Burdwan**

**MONITORED BY :**  
ENVIROCHECK  
189, Rastraguru Avenue,  
Calcutta - 700 028

Report No : 252/EC/M/N/I/21-22

Sampling Locations :	Near Administrative Building	Date of Study :	20.09.2021
Category :	Ferro Alloy and SMS Unit	Day time :	6 AM to 10 PM

Time (hrs.)	L <sub>min</sub>	L <sub>max</sub>	L <sub>eq</sub>	Day time L <sub>eq</sub>
6:00 AM to 7:00 AM	62.8	67.8	65.97	63.80
7:00 AM to 8:00 AM	58.3	62.4	60.82	
8:00 AM to 9:00 AM	65	66.1	65.58	
9:00 AM to 10:00 AM	63.5	68.2	66.46	
10:00 AM to 11:00 AM	58.3	64.6	62.50	
11:00 AM to 12:00 PM	60.3	62.5	61.54	
12:00 PM to 1:00 PM	61.6	63.5	62.65	
1:00 PM to 2:00 PM	62.7	65.1	64.06	
2:00 PM to 3:00 PM	64.9	67.0	66.08	
3:00 PM to 4:00 PM	58.2	68.2	65.60	
4:00 PM to 5:00 PM	59.2	62.6	61.22	
5:00 PM to 6:00 PM	61.6	62.3	61.96	
6:00 PM to 7:00 PM	58.4	60.4	59.51	
7:00 PM to 8:00 PM	58.3	61.5	60.19	
8:00 PM to 9:00 PM	62.1	64.3	63.34	
9:00 PM to 10:00 PM	63.4	65.5	64.58	

Date of Study :	20.09.2021 to 21.09.2021	Night time :	10 PM to 6 AM
-----------------	--------------------------	--------------	---------------

Time(hrs.)	L <sub>min</sub>	L <sub>max</sub>	L <sub>eq</sub>	Night time L <sub>eq</sub>
10:00 PM to 11:00 PM	56.1	57.5	56.86	56.54
11:00 PM to 12:00 AM	54.3	56.4	55.48	
12:00 AM to 1:00 AM	49.2	51.1	50.25	
1:00 AM to 2:00 AM	48.8	52.7	51.17	
2:00 AM to 3:00 AM	49.3	55.1	53.10	
3:00 AM to 4:00 AM	50.1	57.4	55.13	
4:00 AM to 5:00 AM	54.2	62.3	59.92	
5:00 AM to 6:00 AM	57.6	62.1	60.41	

L<sub>min</sub> : Minimum Noise level

L<sub>max</sub> :Maximum Noise level

L<sub>eq</sub> :Equivalent sound energy

Compiled by : (Signature)  
Dr. Ajoy Paul

Envirocheck Seal  
Date : 01.10.2021



Certified by : (Signature)  
Dr. S. B. Chowdhury

H.O. : 63/B, Rastraguru Avenue, Kolkata - 700028 ( 033-25792891/25497490, Fax : 033-25299141  
Laboratory : 189,190&192 Rastraguru Avenue, Kolkata - 700028 ( 033-25792889  
Email : envcheck@cal2.vsnl.net.in/envirocheck50@gmail.com / Website : www.envirocheck.org  
Branch Office : Siliguri • Haldia • Durgapur • Dhanbad • Gangtok • Port Blair • Dehradun • New Delhi  
Overseas : UAE • Qatar • Netherlands



# ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB  
Accredited by NABL (ISO/IEC 17025:2017)  
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001 : 2018



## NOISE MONITORING REPORT

**Eloquent Steel Pvt. Ltd. (Formerly Known as – Hira Concast Ltd.)**  
**Vill. – Nakrajoria, P.O + P.S – Salanpur, District – Paschim Burdwan**

**MONITORED BY :**  
ENVIROCHECK  
189, Rastraguru Avenue,  
Calcutta - 700 028

Report No : 252/EC/M/N/II/21-22

Sampling Locations :	Near DVC Meter Room (Back Side of the Plant)	Date of Study :	20.09.2021
Category :	Ferro Alloy and SMS Unit	Day time :	6 AM to 10 PM

Time (hrs.)	L <sub>min</sub>	L <sub>max</sub>	L <sub>eq</sub>	Day time L <sub>eq</sub>
6:00 AM to 7:00 AM	64.5	67	65.93	68.11
7:00 AM to 8:00 AM	61.8	66.2	64.53	
8:00 AM to 9:00 AM	67.5	69.5	68.61	
9:00 AM to 10:00 AM	63.4	64.2	63.82	
10:00 AM to 11:00 AM	65.3	67.2	66.35	
11:00 AM to 12:00 PM	65.2	70.5	68.61	
12:00 PM to 1:00 PM	65.4	69.2	67.70	
1:00 PM to 2:00 PM	66.5	69.4	68.19	
2:00 PM to 3:00 PM	59.4	65.2	63.20	
3:00 PM to 4:00 PM	67.2	74.2	71.97	
4:00 PM to 5:00 PM	65.2	73.1	70.74	
5:00 PM to 6:00 PM	63.8	72.1	69.69	
6:00 PM to 7:00 PM	62.6	71.4	68.93	
7:00 PM to 8:00 PM	63.4	67.4	65.85	
8:00 PM to 9:00 PM	61.5	69.2	66.87	
9:00 PM to 10:00 PM	62.6	71.2	68.75	

Date of Study :	20.09.2021 to 21.09.2021	Night time :	10 PM to 6 AM
-----------------	--------------------------	--------------	---------------

Time(hrs.)	L <sub>min</sub>	L <sub>max</sub>	L <sub>eq</sub>	Night time L <sub>eq</sub>
10:00 PM to 11:00 PM	62.5	64.5	63.61	63.39
11:00 PM to 12:00 AM	63.3	65.8	64.73	
12:00 AM to 1:00 AM	61.5	64.9	63.52	
1:00 AM to 2:00 AM	60.3	62.8	61.73	
2:00 AM to 3:00 AM	61.2	63.5	62.50	
3:00 AM to 4:00 AM	61.5	65.1	63.66	
4:00 AM to 5:00 AM	62.6	65.2	64.09	
5:00 AM to 6:00 AM	61.3	63.5	62.54	

L<sub>min</sub> : Minimum Noise level

L<sub>max</sub> :Maximum Noise level

L<sub>eq</sub> :Equivalent sound energy

Compiled by : (Signature)  
Dr. Ajoy Paul

Envirocheck Seal  
Date : 01.10.2021



Certified by : (Signature)  
Dr. S. B. Chowdhury

H.O. : 63/B, Rastraguru Avenue, Kolkata - 700028 [ 033-25792891/25497490, Fax : 033-25299141  
Laboratory : 189,190&192 Rastraguru Avenue, Kolkata - 700028 [ 033-25792889  
Email : envcheck@cal2.vsnl.net.in/envirocheck50@gmail.com / Website : www.envirocheck.org  
Branch Office : Siliguri • Haldia • Durgapur • Dhanbad • Gangtok • Port Blair • Dehradun • New Delhi  
Overseas : UAE • Qatar • Netherlands



# ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB  
Accredited by NABL (ISO/IEC 17025:2017)  
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001 : 2018



## NOISE MONITORING REPORT

**Eloquent Steel Pvt. Ltd. (Formerly Known as – Hira Concast Ltd.)**  
**Vill. – Nakrajoria, P.O + P.S – Salanpur, District – Paschim Burdwan**

**MONITORED BY :**  
ENVIROCHECK  
189, Rastraguru Avenue,  
Calcutta - 700 028

Report No : 252/EC/M/N/III/21-22

Sampling Locations :	Dandua Village (1.0 KM Distance from Plant)	Date of Study :	20.09.2021
Category :	Ferro Alloy and SMS Unit	Day time :	6 AM to 10 PM

Time (hrs.)	L <sub>min</sub>	L <sub>max</sub>	L <sub>eq</sub>	Day time L <sub>eq</sub>
6:00 AM to 7:00 AM	48.8	49.9	49.38	51.52
7:00 AM to 8:00 AM	48.5	52.4	50.87	
8:00 AM to 9:00 AM	50.6	54.2	52.76	
9:00 AM to 10:00 AM	51.3	54.3	53.05	
10:00 AM to 11:00 AM	52.9	54.1	53.54	
11:00 AM to 12:00 PM	52	54.1	53.18	
12:00 PM to 1:00 PM	52.7	55	54.00	
1:00 PM to 2:00 PM	51.5	54.1	52.99	
2:00 PM to 3:00 PM	50.1	52.7	51.59	
3:00 PM to 4:00 PM	49.5	52.9	51.52	
4:00 PM to 5:00 PM	49.1	51.6	50.53	
5:00 PM to 6:00 PM	47.8	49.2	48.56	
6:00 PM to 7:00 PM	48.5	52.6	51.02	
7:00 PM to 8:00 PM	45.3	51.1	49.10	
8:00 PM to 9:00 PM	45.5	49.2	47.73	
9:00 PM to 10:00 PM	43.2	48.6	46.69	

Date of Study :	20.09.2021 to 21.09.2021	Night time :	10 PM to 6 AM
-----------------	--------------------------	--------------	---------------

Time(hrs.)	L <sub>min</sub>	L <sub>max</sub>	L <sub>eq</sub>	Night time L <sub>eq</sub>
10:00 PM to 11:00 PM	42.5	50.8	48.39	43.14
11:00 PM to 12:00 AM	39.2	40.7	40.01	
12:00 AM to 1:00 AM	39.0	41.2	40.24	
1:00 AM to 2:00 AM	36.0	38.3	37.30	
2:00 AM to 3:00 AM	33.8	37.2	35.82	
3:00 AM to 4:00 AM	35.3	38.6	37.26	
4:00 AM to 5:00 AM	38.6	41.2	40.09	
5:00 AM to 6:00 AM	42.6	49.2	47.05	

L<sub>min</sub> : Minimum Noise level

L<sub>eq</sub> :Equivalent sound energy

*Dr. Ajoy Paul*

Compiled by : (Signature)  
Dr. Ajoy Paul

Envirocheck Seal  
Date : 01.10.2021

*Dr. S. B. Chowdhury*

Certified by : (Signature)  
Dr. S. B. Chowdhury



H.O. : 63/B, Rastraguru Avenue, Kolkata - 700028 ( 033-25792891/25497490, Fax : 033-25299141  
Laboratory : 189,190&192 Rastraguru Avenue, Kolkata - 700028 ( 033-25792889  
Email : envcheck@cal2.vsnl.net.in/envirocheck50@gmail.com / Website : www.envirocheck.org  
Branch Office : Siliguri ▪ Haldia ▪ Durgapur ▪ Dhanbad ▪ Gangtok ▪ Port Blair ▪ Dehradun ▪ New Delhi  
Overseas : UAE ▪ Qatar ▪ Netherlands



# ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB  
Accredited by NABL (ISO/IEC 17025:2017)  
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001 : 2018



## NOISE MONITORING REPORT

Eloquent Steel Pvt. Ltd.

Vill. – Nakrajoria, P.O + P.S – Salanpur, District – Paschim Burdwan

### MONITORED BY :

ENVIROCHECK  
189, Rastraguru Avenue,  
Calcutta - 700 028

Report No : 251/EC/M/N/II/21-22

Sampling Locations :	Near Main Gate (Common with Impex Steel Ltd & Hira Concast Ltd.)	Date of Study :	21.09.2021
Category :	Ferro Alloy and SMS Unit	Day time :	6 AM to 10 PM

Time (hrs.)	L <sub>min</sub>	L <sub>max</sub>	L <sub>eq</sub>	Day time L <sub>eq</sub>
6:00 AM to 7:00 AM	66.1	72.3	70.22	67.98
7:00 AM to 8:00 AM	67.3	71.1	69.60	
8:00 AM to 9:00 AM	65.2	72.2	69.98	
9:00 AM to 10:00 AM	67.3	74.6	72.33	
10:00 AM to 11:00 AM	65.2	71.3	69.24	
11:00 AM to 12:00 PM	66.1	72.1	70.06	
12:00 PM to 1:00 PM	65.8	70.3	68.61	
1:00 PM to 2:00 PM	63.1	67.2	65.62	
2:00 PM to 3:00 PM	62.9	69.1	67.02	
3:00 PM to 4:00 PM	60.2	65.3	63.46	
4:00 PM to 5:00 PM	64.3	66.1	65.29	
5:00 PM to 6:00 PM	61.1	67.2	65.14	
6:00 PM to 7:00 PM	60.2	66.3	64.24	
7:00 PM to 8:00 PM	61.6	64.1	63.03	
8:00 PM to 9:00 PM	60.1	62.3	61.34	
9:00 PM to 10:00 PM	62.9	68.3	66.39	

Date of Study :	21.09.2021 to 22.09.2021	Night time :	10 PM to 6 AM
-----------------	--------------------------	--------------	---------------

Time(hrs.)	L <sub>min</sub>	L <sub>max</sub>	L <sub>eq</sub>	Night time L <sub>eq</sub>
10:00 PM to 11:00 PM	56.5	60.1	58.66	56.51
11:00 PM to 12:00 AM	54.3	57.3	56.05	
12:00 AM to 1:00 AM	48.6	58.1	55.55	
1:00 AM to 2:00 AM	46.3	54.2	51.84	
2:00 AM to 3:00 AM	47.1	57.3	54.69	
3:00 AM to 4:00 AM	50.2	52.2	51.31	
4:00 AM to 5:00 AM	55.4	58.3	57.09	
5:00 AM to 6:00 AM	57.3	61.6	59.96	

L<sub>min</sub> : Minimum Noise level

L<sub>max</sub> :Maximum Noise level

L<sub>eq</sub> :Equivalent sound energy

Compiled by : (Signature)  
Dr. Ajoy Paul

Envirocheck Seal  
Date : 01.10.2021

Certified by : (Signature)  
Dr. S. B. Chowdhury





# Annexure – 10B



# ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB  
Accredited by NABL (ISO/IEC 17025:2017)  
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001 : 2018



FORMAT NO. : ENV/FM/58

## TEST REPORT

1.	Name of the Industry	:	Eloquent Steel Pvt. Ltd. (Formerly Known as - Hira Concast Ltd.)
2.	Address	:	Vill. - Nakrajoria, P.O + P.S - Salanpur, District - Paschim Burdwan
3.	Type of Industry	:	Ferro Alloy and SMS Unit
4.	Sampling Plan & Procedure	:	ENV/SOP/01
5.	Deviation from the Sampling Method & Plan	:	No
6.	Type of Sample	:	Work Zone Noise
7.	Sample ID	:	212/EC/M/N
8.	Report ID	:	212/EC/M/TR(N)/21-22
9.	Date of Study	:	20/09/2021
10.	Reporting Date	:	01/10/2021
11.	Method No.	:	IS: 9989 - 1981
12.	Duration of Noise	:	20 Minutes
13.	Height from Ground Level	:	4 feet
14.	Sample Monitoring by	:	Mr. Biswarup Kundu

### RESULT OF NOISE LEVEL STUDY

Time :10:00 - 10:20 A.M

#### DAY TIME

#### 1. Location : Raw Material Storage Yard - R.M. Handling Section

Sl. No.	Unit	Minimum dB(A)	Maximum dB(A)	Leq dB(A)	Remarks
01.	dB(A)	67.8	72.2	70.53	East Side
02.	dB(A)	70.2	73.6	72.22	West Side
03.	dB(A)	68.4	72.8	71.13	North Side
04.	dB(A)	69.8	74.6	72.83	South Side
Average dB(A) Leq				71.67	

Reviewed By:

Dy. Quality Manager

Approved By:

Quality Manager

>End of Report<



# ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB  
 Accredited by NABL (ISO/IEC 17025:2017)  
 Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001 : 2018



FORMAT NO. : ENV/FM/58

## TEST REPORT

1.	Name of the Industry	:	Eloquent Steel Pvt. Ltd. (Formerly Known as - Hira Concast Ltd.)
2.	Address	:	Vill. - Nakrajoria, P.O + P.S - Salanpur, District - Paschim Burdwan
3.	Type of Industry	:	Ferro Alloy and SMS Unit
4.	Sampling Plan & Procedure	:	ENV/SOP/01
5.	Deviation from the Sampling Method & Plan	:	No
6.	Type of Sample	:	Work Zone Noise
7.	Sample ID	:	212/EC/M/N
8.	Report ID	:	212/EC/M/TR(N)/21-22
9.	Date of Study	:	20/09/2021
10.	Reporting Date	:	01/10/2021
11.	Method No.	:	IS: 9989 - 1981
12.	Duration of Noise	:	20 Minutes
13.	Height from Ground Level	:	4 feet
14.	Sample Monitoring by	:	Mr. Biswarup Kundu

### RESULT OF NOISE LEVEL STUDY

Time :10:30 - 10:50 A.M

### DAY TIME

### 2. Location : Near Ferro Alloys Plant - Ferro Division

Sl. No.	Unit	Minimum dB(A)	Maximum dB(A)	Leq dB(A)	Remarks
01.	dB(A)	73.4	82.8	80.26	East Side
02.	dB(A)	75.2	78.8	77.36	West Side
03.	dB(A)	74.8	80.6	78.60	North Side
04.	dB(A)	78.6	79.6	79.13	South Side
Average dB(A) Leq				78.83	

Reviewed By:

Dy. Quality Manager

Approved By:

Quality Manager

>End of Report<



# ENVIROCHECK

Recognised by MoEF&CC, WBPCB & JSPCB  
Accredited by NABL (ISO/IEC 17025:2017)  
Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001 : 2018



FORMAT NO. : ENV/FM/58

## TEST REPORT

1.	Name of the Industry	: Eloquent Steel Pvt. Ltd. (Formerly Known as - Hira Concast Ltd.)
2.	Address	: Vill. - Nakrajoria, P.O + P.S - Salanpur, District - Paschim Burdwan
3.	Type of Industry	: Ferro Alloy and SMS Unit
4.	Sampling Plan & Procedure	: ENV/SOP/01
5.	Deviation from the Sampling Method & Plan	: No
6.	Type of Sample	: Work Zone Noise
7.	Sample ID	: 212/EC/M/N
8.	Report ID	: 212/EC/M/TR(N)/21-22
9.	Date of Study	: 20/09/2021
10.	Reporting Date	: 01/10/2021
11.	Method No.	: IS: 9989 - 1981
12.	Time of Duration of Noise	: 20 Minutes
13.	Height from Ground Level	: 4 feet
14.	Sample Monitoring by	Mr. Biswarup Kundu

### RESULT OF NOISE LEVEL STUDY

Time :11:00 - 11:20A.M

### DAY TIME

### 3. Location : Induction Furnace Area - SMS Division

Sl. No.	Unit	Minimum dB(A)	Maximum dB(A)	Leq dB(A)	Remarks
01.	dB(A)	70.2	75.8	73.85	East Side
02.	dB(A)	72.0	75.6	74.16	West Side
03.	dB(A)	73.4	77.4	75.85	North Side
04.	dB(A)	72.8	76.4	74.96	South Side
Average dB(A) Leq				74.70	

Reviewed By:

Approved By:

Dy. Quality Manager

Quality Manager

>End of Report<

H.O. : 63/B, Rastraguru Avenue, Kolkata - 700028 { 033-25792891/25497490, Fax : 033-25299141  
Laboratory : 189,190&192 Rastraguru Avenue, Kolkata - 700028 { 033-25792889  
Email : info@envirocheck.org /envirocheck50@gmail.com / Website : www.envirocheck.org  
Branch Office : ▪ Siliguri ▪ Haldia ▪ Durgapur ▪ Dhanbad ▪ Gangtok ▪ Port Blair ▪ Dehradun ▪ New Delhi  
Overseas : ▪ UAE ▪ Qatar ▪ Netherlands

# Annexure – 11

# CSR ACTIVITY









# Annexure – 12



# FORM 11

[ See rule 58(2) ]

Name Of District : **PASCHIM BARDHAMAN**

Name Of Block : **SALANPUR**

Name Of Gram Panchayat : **DENDUA**

Trade Registration No:- **44**

Trade Registration Date:-**31-Jul-2019**

Trade Registration Certificate issue No:- **1**

Issue Date:-**09-Apr-2021**

Trade Registration Certificate issued for the period of: **2021-2022**

To **DEEPAK KUMAR AGARWAL**

(Name of Prop/partner/Director)

Full Address :

VILLAGE - **NAKRAJORIA**

PARA - **NAKRAJORIA**

POLICE STATION - **SALANPUR**

POST OFFICE - **SALANPUR**

PIN NO -

Gram Sansad/ Part No. **SIX SEVEN**

Description of Trade : **IRON AND STEEL**

Gram panchayat acknowledges a sum of **Rs. 510** (Rupees Five Hundred and Ten Only)

From **M/S ELOQUENT STEEL PRIVATE LIMITED**

(Name of Trade)

Vide Receipt No : **FORM-V 555**

Dated : **09-Apr-2021**

Grant of this certificate shall not absolve the applicant from the requirement of procuring all the statutory clearances to be obtained from the appropriate authority before actual commencement of the trade. If any violation/default is noted later is, the certificate shall be liable to be cancelled and the trade/business shall be closed down with immediate effect.

**SECRETARY**

**DENDUA GRAM PANCHAYAT**  
Executive Assistant/Secretary

*[Signature]*

**PRODHAN**

**Dendua Gram Panchayat**

# Annexure – 13



R K Mishra &lt;rk.mishra@shakambharigroup.in&gt;

---

**Submission of Environment Statement (Form-V) for FY: 2020-21 of M/S Eloquent Steel Pvt. Limited (Formerly Hira Concast Limited)**

1 message

---

**R K Mishra** <rk.mishra@shakambharigroup.in>

Fri, Oct 29, 2021 at 6:14 PM

To: mswarupk@wbpcb.gov.in

Cc: rdez@fsi.nic.in, Sanjeev Kumar Sachan &lt;sanjeev.sachan@shakambharigroup.in&gt;

Dear Sir,

With reference to above subject we are submitting attached herewith the Environment Statement (Form-V) for the financial year ending 31<sup>st</sup> March, 2021 of M/s Eloquent Steel Pvt. Limited (Formerly Hira Concast Limited), Vill-Nakrajoria, PO-Salanpur, Dist-Paschim Bardhaman (WB) for your kind consideration please.

Kindly acknowledge our submission

With regards,

Yours faithfully,

for **Eloquent Steel Pvt. Limited**

(Formerly Hira Concast Limited)

R. K. Mishra

DGM-EHS

**ESPL\_Hira\_ES\_2020-21.pdf**

2391K